S1565-2-U (A)

VITAL STATISTICS
OF THE
DISTRICT OF COLUMBIA
1984

BYRON C. MARSHALL
ACTING DIRECTOR
DEPARTMENT OF HUMAN SERVICES

CARL W. WILSON
CHIEF
OFFICE OF POLICY AND PLANNING

MARION BARRY, JR.
MAYOR
DISTRICT OF COLUMBIA

Cover design by Henry Marshall Visual Information Specialist,
Audiovisual and Printing Services Division, DHS

The Department of Human Services does not discriminate on the basis of race, color, religion, national origin, sex, marital status, personal appearance, sexual orientation, family responsibilities, physical handicap, matriculation, or political affiliation.

SYMBOLS USED IN TABLES

Data Not Available	---
Not Applicable	...
Quantity Zero	-
Quantity More Than 0 But Less Than 0.05	0.0

CONTENTS

	Page
Source of data	9
Registration completeness	9
Calculation of rates	10
Availability of additional data	10
Definitions	10

VITAL STATISTICS HIGHLIGHTS

TABLES

Table

1.--Resident live births and birth rates by race and sex: District of Columbia, 1970-1984	15
2.--Out-of-wedlock births by race: District of Columbia residents, 1970-1984	16
3.--Incidence of low birth weight by race: District of Columbia residents, 1970-1984	17
4.--Births to adolescent mothers by race: District of Columbia, 1970-1984	18
5.--Deaths and death rates by race: District of Columbia residents, 1970-1984	19
6.--Infant and neonatal deaths and death rates by race: District of Columbia residents, 1970-1984	20
7.--Three year moving average of infant mortality rates by age at death: District of Columbia, 1969-1971 to 1982-1984	21
8.--Fetal deaths and death rates by race: District of Columbia residents, 1970-1984	22
9.--Perinatal deaths and death rates by race: District of Columbia residents, 1970-1984	23

Page

10.--Maternal mortality: District of Columbia residents, 1970-1984..... 24

11.--Resident infant deaths and death rates by age: District of Columbia, 1980-1984..... 25

12.--Number of resident infant deaths by ward, race and age at death: District of Columbia, 1984..... 26

13.--Resident infant mortality rates by ward, race and age at death: District of Columbia, 1984..... 27

14.--Live births, out-of-wedlock births, infant deaths, fetal deaths, total deaths, by place of occurrence and residence: District of Columbia, 1984..... 28

15.--Recorded events, and resident events in other states: District of Columbia residents, 1970-1984..... 29

16a.-Recorded number of live births and deaths: number and rates of infant, neonatal and fetal deaths by race; total: District of Columbia, 1975-1984..... 30

16b.-Recorded number of live births and deaths: number and rates of infant, neonatal and fetal deaths by race; white: District of Columbia, 1975-1984..... 31

16c.-Recorded number of live births and deaths: number and rates of infant, neonatal and fetal deaths by race; black: District of Columbia, 1975-1984..... 32

17a.-Live births by live-birth order, age of mother and plurality, all races; all births: District of Columbia, 1984..... 33

17b.-Live births by live-birth order, age of mother and plurality, all races; single births: District of Columbia, 1984..... 34

17c.-Live births by live-birth order, age of mother and plurality, all races; plural births: District of Columbia, 1984..... 35

18a.-Live births by live-birth order and age of mother, black residents: District of Columbia, 1984..... 36

Page

18b.-Live births by live-birth order and age of mother, white residents: District of Columbia, 1984..... 37

19a.-Live births by ward and age of mother, all residents: District of Columbia, 1984..... 38

19b.-Live births by ward and age of mother, black residents: District of Columbia, 1984..... 39

19c.-Live births by ward and age of mother, white residents: District of Columbia, 1984..... 40

20a.-Number and percent distribution of resident live births, and births with selected characteristics (out-of-wedlock, premature, immature and with inadequate prenatal care) by race and ward; all births: District of Columbia, 1984..... 41

20b.-Number and percent distribution of resident live births, and births with selected characteristics (out-of-wedlock, premature, immature and with inadequate prenatal care) by race and ward; black births: District of Columbia, 1984..... 42

20c.-Number and percent distribution of resident live births, and births with selected characteristics (out-of-wedlock, premature, immature and with inadequate prenatal care) by race and ward; white births: District of Columbia, 1984..... 43

21a.-Resident deaths for 20 leading causes by race and sex: District of Columbia, 1984..... 44

21b.-Resident crude death rates by race and sex: District of Columbia, 1984..... 45

22.--Principal causes of death of residents by age group and sex with rates: District of Columbia, 1984..... 46

23.--Number of resident deaths and crude and age-adjusted death rates by age, race and sex: District of Columbia, 1984..... 49

24.--Deaths from 72 selected causes by age, race and sex: District of Columbia, 1984..... 50

25a.-Resident deaths for 20 leading causes by race and ward; all races: District of Columbia, 1984..... 77

Page

25b.-Resident deaths for 20 leading causes by race and ward; black residents: District of Columbia, 1984..... 78

25c.-Resident deaths for 20 leading causes by race and ward; white residents: District of Columbia, 1984..... 79

26.—Resident infant deaths by cause and age: District of Columbia, 1984..... 80

27.--Resident infant deaths by cause: District of Columbia, 1982-1984..... 83

28.—Resident live births, out-of-wedlock births, births with no prenatal care, immature births, total deaths and infant deaths by census tract: District of Columbia, 1984..... 84

29.—Recorded deaths from accidental causes by age and type of accident: District of Columbia, 1984..... 92

30.—Estimated population by age, race, and sex: District of Columbia, July 1, 1984..... 94

31.--Marriages by month of marriage: District of Columbia, 1984..... 95

32.—Marriages by age of groom by age of bride: District of Columbia, 1984..... 96

33.--Marriages by marital status of groom by marital status of bride: District of Columbia, 1984..... 97

34.—Marriages by age of groom by marital status of groom: District of Columbia, 1984..... 98

35.—Marriages by age of bride by marital status of bride: District of Columbia, 1984..... 99

36.--Divorces and divorce rates: District of Columbia, 1976, 1980-1984..... 100

37.—Divorces by duration of marriage: District of Columbia, 1984..... 101

38.--Divorces by number of children affected under 18 years of age: District of Columbia, 1984..... 102

Page

39.—Divorces by age of wife by age of husband: District of Columbia, 1984..... 103

40.—Age of husband by marriage number: District of Columbia, 1984..... 104

41.—Age of wife by marriage number: District of Columbia, 1984..... 105

42.—Divorces by duration of marriage by marriage number of husband: District of Columbia, 1984..... 106

43.—Divorces by duration of marriage by marriage number of wife: District of Columbia, 1984..... 107

ACKNOWLEDGEMENTS

The 1984 Vital Statistics Summary is the result of the combined efforts of the data providers, including hospital personnel, physicians and funeral directors and Department of Human Services' personnel.

Research and Statistics Division staff contributing significantly to the preparation of the 1984 summary include:

Claudia Higgins, table preparation
Corine Miles, Margaret Spencer and Gloria Coleman, data reduction and coding
Dorothy Ricks, secretary, typing
John Crandall, registrar, Vital Records Branch and his staff for the registration of all vital events occurring in the District of Columbia

Publication of this summary is made possible through the joint efforts of other units within the Department of Human Services. Special acknowledgement is made to:

Evelyn B. Dorsey and James E. Gladden, Audiovisual and Printing Services Division
Office of Information Systems staff, Frederick Senior, chief

The 1984 Vital Statistics Summary has been compiled and produced under the general supervision of Grover Chamberlain, chief, Research and Statistics Division.

VITAL STATISTICS SUMMARY

1984

INTRODUCTION

This annual report contains information on vital events (live births, deaths and fetal deaths) for the District of Columbia in calendar year 1984 and selected earlier years. The report also includes data on nonresident births and deaths occurring in the District of Columbia. However, the emphasis is placed on those events occurring to District of Columbia residents. The purpose of this report is to present information in a structured fashion which can be used as a basis for health and social policy decisions, for health planning and for the generation of questions for health and epidemiologic research. This report is further intended to provide District of Columbia governmental agencies, businesses, universities, nonprofit organizations and citizens with information on vital events.

SOURCE OF DATA. Vital statistics are derived entirely from live birth, death and fetal death certificates. All live births and deaths occurring within the District of Columbia are registered with the Vital Records Branch, Research and Statistics Division, Department of Human Services, as are known fetal deaths of 20 weeks or more gestation. Vital events for District residents occurring in other states are registered in those states and copies are sent to the Vital Records Branch through a nationwide interchange system.

The statistics for 1984 cover all 1984 events for which certificates were filed or transcripts received from other states before May 15, 1985. The number of certificates excluded for 1984 or any other year because of late filing is considered negligible for statistical purposes.

REGISTRATION COMPLETENESS. The registration of live births and deaths in the District of Columbia is considered to be virtually complete. The degree of registration and completeness for fetal deaths is not known because the D.C. law requires registration only for 20 weeks or over gestation. Since the gestation period cannot always be calculated exactly, some reportable fetal deaths are probably not registered. It is always possible that some of those which are registered are actually of less than 20 weeks gestation.

CALCULATION OF RATES. Death, birth and fertility rates are based on enumerated population as of April 1 for census years, and on estimated population as of July 1 for all other years. These rates are expressed per 1,000 population except for death rates by cause of death, which are per 100,000 population. Rates are per 1,000 live births for infant deaths, per 10,000 live births for maternal deaths and per 1,000 deliveries (live births plus fetal deaths) for fetal deaths and perinatal deaths. Comparability of trend data for birth and death rates is limited by the difficulties in preparing reliable estimates of population for intercensal years.

AVAILABILITY OF ADDITIONAL DATA. More detailed information on vital events for 1984 or prior years is available on request from the Chief, Research and Statistics Division, Department of Human Services, 425 I Street, N.W., Washington, D.C. 20001.

DEFINITIONS. Terms used in this report are defined as follows:

Residence is defined as that of the deceased for a death and as that of the mother for a birth or fetal death. Deaths and births in institutions located in the District are allocated to the place of previous residence regardless of length of stay in the institution. All tables refer to resident events except as noted. Most tables refer to resident events which include birth and death certificates received for residents of the city irrespective of where the event occurred. The tables referring to recorded events include births and deaths which occurred in the District of Columbia irrespective of the place of residence given on the certificates.

A live birth is defined as the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which after such expulsion or extraction, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

An immature birth is one for which the birth weight is 2,500 grams or less (5 pounds, 8 ounces or less), regardless of the period of gestation.

A premature birth is one which occurred prior to 37 weeks gestation.

An out-of-wedlock birth is one which occurred to a mother who was separated from spouse or not married at the time of birth and had not been living with spouse or married any time during the preceding 10 months.

A fetal death is defined as death, prior to the complete expulsion or extraction from its mother, of a product of human conception of 20 weeks or more duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction the fetus never breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord or definite movements of voluntary muscles.

An infant death is the death of a child under one year of age.

A neonatal death is the death of a child under 28 days of age.

The underlying cause of death, by which all deaths are classified, may be defined as the disease or injury which initiated the train of morbid events leading directly to death, or the circumstances of the accident or violence which produced the fatal injury[1]. It is the responsibility of the certifying physician or medical examiner to indicate the underlying cause, and it is the responsibility of the Research and Statistics Division to assign the proper code number so that deaths may be classified by cause. Starting with the 1979 report, causes of death have been coded under the provisions of the "Ninth Revision International Classification of Diseases," adapted for use in the United States (ICDA).

Leading Causes of Death: Cause-of-death ranking is based on the list of 72 Selected Causes of Death, adapted from one of the special lists for mortality tabulations recommended by the World Health Organization for use with the Ninth Revision of the International Classification of Diseases. Two group titles - Major cardiovascular diseases and symptoms and ill-defined - are not ranked. In addition, category titles that begin with the words "other" or "all other" are not ranked. The remaining titles are ranked to determine the leading causes of death. When one of the titles that represents a subtotal is ranked (e.g., Tuberculosis, all forms), its component parts (in this case of Tuberculosis of respiratory system and Tuberculosis, other forms) are not ranked.

Race: When the word "black" is used in this report, either in tables or text, it means "black and other non-white races." The 1980 census found that approximately three percent of the total population was neither black nor white.

1/ Manual of the International Statistical Classification of Disease, Injuries, and Cause of Death, Seventh Revision, 1955, Volume 1, page 357.

Rates used in this report are defined as outlined below:

Birth rate	Number of live births / Estimated mid-year population	X 1,000
Out-of-wedlock ratio	Number of out-of-wedlock births / Number of live births	X 1,000
Age-specific rate	Number of live births to women in specific age group / Estimated mid-year female population in that age group	X 1,000
Fertility rate	Number of live births / Estimated mid-year female population 15-44 years old	X 1,000
Death rate	Number of deaths / Estimated mid-year population	X 1,000 (or 100,000) as specified
Age-specific death rate	Number of deaths in specific age group / Estimated mid-year population in that age group	X 100,000
Infant death rate	Number of deaths under one year of age / Total number of live births	X 1,000
Neonatal death rate	Number of deaths under 28 days of age / Total number of live births	X 1,000
Fetal death rate	Number of fetal deaths (gestation 20 weeks or over) / Total number of live deliveries	X 1,000
Maternal death rate	Number of deaths due to Complications of Pregnancy, Childbirth and Puerperium / Total number of live births	X 10,000

VITAL STATISTICS HIGHLIGHTS: 1984

During 1984 there were 19,617 live births recorded in the District of Columbia. Over one-half (10,874) of these births were delivered by non-residents, i.e., the mothers were not District of Columbia residents.

Live births to District of Columbia residents totaled 9,549. This figure includes 8,743 born in the District and 806 born elsewhere to residents.

The fertility rate for District of Columbia residents was 55.9 per 1,000 women ages 15-44. This rate was considerably below the United States fertility rate of 65.4.

The crude birth rate of 15.2 per 1,000 population was the same as in 1983.

Births to teenagers amounted to 18.3 percent (1,747) of all births, about the same percentage as in 1983. Over 90 percent of the 1984 births to teenagers were born out of wedlock.

There were 143 fetal deaths in 1984 compared to 114 in 1983. The 1984 figure was the highest number of fetal deaths since 1977.

In 1984, infant deaths increased after two successive annual declines. The 202 infant deaths in 1984 amounted to a 17 percent increase over 1983. The infant mortality rate also increased by about the same percentage.

Over one-half (52 percent) of all births were males but the percentage of white male births was slightly higher than the percentage of black male births, 53 percent compared to 51 percent. Over 80 percent of both male and female births were black.

The infant mortality rate was much higher for males than for females, 25.8 compared to 16.2.

There were only 13 infant deaths among the 1,661 white births providing an infant mortality rate of 7.8. For blacks the infant mortality rate was 24.0 (189 infant deaths and 7,888 births).

"Certain conditions originating in the perinatal period" were responsible for two-thirds of the infant deaths.

There were 8,498 recorded deaths in the District of Columbia but only 6,066 were residents. In addition to the 6,066, 617 residents died elsewhere for a total resident death figure of 6,683.

Black deaths outnumber white deaths almost 3 to 1, however, the rate per 1,000 population was the same for both groups, 10.7. In prior years the white rate was consistently higher than the black rate by substantial margins (see Table 5). Since the middle 1970's the gap has been narrowing due to lower white rates and slightly higher black rates.

The convergence of the black and white crude death rates in 1984 is due in large part to the changes in the age composition of black and white residents. For example, as of July 1, 1975 it was estimated that 6.2 percent of the black population was 65 years of age or over but by the middle of 1984 this percentage was 10.2. Among the white population the percentage 65 years and over dropped from 22.7 in 1975 to 16.7 in 1984. Most deaths occur in this older age group.

Well over half (56 percent) of the resident deaths were due to diseases of the heart and cancer. These two causes predominated among males (55 percent) and females (57 percent), and among blacks (54 percent) and whites (60 percent).

No maternal deaths have occurred since 1982 and there have been only five the past five years.

Marriage and divorce data are presented for the first time in the 1984 Vital Statistics Summary. The Vital Records Act of 1981 stipulates that records of marriages and divorces are to be filed with the Registrar for vital records. Selected data from these records will be presented routinely in the annual reports.

In 1984 there were 5,605 marriages and 2,557 divorces reported for the District of Columbia. The marriage figure reflects marriages performed and the divorce figure covers decrees granted.

Table 1.--RESIDENT LIVE BIRTHS AND BIRTH RATES BY RACE AND SEX: DISTRICT OF COLUMBIA, 1970-1984

Year	Live births						Live births		
	Total		Black		White				
	Number	Rate [a/]	Number	Rate [a/]	Number	Rate [a/]	Male	Female	Sex ratio [b/]
1984.....	9,549	15.2	7,888	17.2	1,661	9.8	4,928	4,621	1,066
1983.....	9,524	15.2	7,896	17.2	1,628	9.7	4,729	4,795	986
1982.....	9,378	14.9	7,710	16.7	1,668	9.9	4,724	4,654	1,015
1981.....	9,332	14.8	7,749	16.8	1,583	9.4	4,820	4,512	1,068
1980.....	9,257	14.5	7,884	16.9	1,373	8.0	4,759	4,498	1,058
1979.....	9,403	14.2	8,053	16.5	1,350	7.9	4,851	4,552	1,066
1978.....	9,372	13.9	8,004	15.9	1,368	7.9	4,728	4,644	1,018
1977.....	9,885	14.3	8,515	16.4	1,370	8.0	4,985	4,900	1,017
1976.....	9,635	13.6	8,293	15.4	1,342	7.9	4,874	4,761	1,024
1975.....	9,746	13.5	8,462	15.1	1,284	7.9	4,942	4,804	1,029
1974.....	10,037	13.8	8,737	15.6	1,300	7.7	5,105	4,932	1,035
1973.....	10,837	14.7	9,413	16.8	1,424	8.0	5,572	5,265	1,058
1972.....	11,886	15.8	10,518	18.6	1,368	7.3	5,989	5,897	1,016
1971.....	13,914	18.5	12,131	21.9	1,783	8.9	7,082	6,832	1,037
1970.....	14,960	19.8	13,091	24.0	1,869	8.9	7,664	7,296	1,050

a/Rate per 1,000 population

b/Ratio of Males per 1,000 Females

Table 2.--OUT-OF-WEDLOCK BIRTHS BY RACE:
DISTRICT OF COLUMBIA RESIDENTS, 1970-1984

Year	Out-of-wedlock births					
	Total		Black		White	
	Number	Per-cent	Number	Per-cent	Number	Per-cent
1984	5,573	58.4	5,307	67.3	266	16.0
1983	5,467	57.4	5,226	66.2	241	14.8
1982	5,316	56.7	5,066	65.7	250	15.0
1981	5,483	58.8	5,175	66.8	308	19.5
1980	5,369	58.0	5,135	65.1	234	17.0
1979	5,443	57.9	5,255	65.3	188	13.9
1978	5,186	55.3	5,016	62.7	170	12.4
1977	5,243	53.0	5,074	59.6	169	12.3
1976	5,065	52.6	4,886	58.9	179	13.3
1975	4,988	51.2	4,822	57.0	166	12.9
1974	4,994	49.8	4,801	55.0	193	14.8
1973	5,061	46.7	4,856	51.6	205	14.4
1972	5,509	46.3	5,359	51.0	150	11.0
1971	5,974	42.9	5,740	47.3	234	13.1
1970	6,104	40.8	5,855	44.7	249	13.3

Table 3.--INCIDENCE OF LOW BIRTH WEIGHT BY RACE:
DISTRICT OF COLUMBIA RESIDENTS, 1970-1984

Year	Births of 2,500 grams or less					
	Total		Black		White	
	Number	Per-cent	Number	Per-cent	Number	Per-cent
1984	1,227	12.8	1,143	14.5	84	5.1
1983	1,252	13.1	1,160	14.7	92	5.7
1982	1,212	12.9	1,113	14.4	99	5.9
1981	1,205	12.9	1,108	14.3	97	6.1
1980	1,214	13.1	1,130	14.3	84	6.1
1979	1,195	12.7	1,123	13.9	72	5.3
1978	1,239	13.2	1,143	14.3	96	7.0
1977	1,330	13.5	1,239	14.6	91	6.6
1976	1,217	12.6	1,136	13.7	81	6.0
1975	1,333	13.7	1,255	14.8	78	6.1
1974	1,325	13.2	1,245	14.2	80	6.2
1973	1,349	12.4	1,256	13.3	93	6.5
1972	1,490	12.5	1,407	13.4	83	6.1
1971	1,731	12.4	1,631	13.4	100	5.6
1970	1,959	13.1	1,795	13.7	164	8.8

Table 4.--BIRTHS TO ADOLESCENT MOTHERS BY RACE:
DISTRICT OF COLUMBIA, 1970-1984

Year	Births to mothers under 20 years of age						Births to mothers under 18 years of age					
	Total		Black		White		Total		Black		White	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
1984-----	1,747	18.3	1,679	21.3	68	4.1	701	7.3	685	8.7	16	1.0
1983-----	1,792	18.8	1,727	21.9	65	4.0	744	7.8	726	9.2	18	1.1
1982-----	1,843	19.7	1,758	22.8	85	5.1	783	8.3	756	9.8	27	1.6
1981-----	1,946	20.9	1,857	24.0	89	5.6	863	9.2	838	10.8	25	1.6
1980-----	1,932	20.9	1,864	23.6	68	5.0	833	9.0	821	10.4	22	1.6
1979-----	2,145	22.8	2,063	25.6	82	6.1	959	10.2	933	11.6	26	1.9
1978-----	2,087	22.3	2,013	25.1	74	5.4	968	10.3	933	11.7	35	2.6
1977-----	2,253	22.8	2,188	25.7	65	4.7	1,053	10.7	1,030	12.1	23	1.7
1976-----	2,356	24.5	2,264	27.3	92	6.9	1,107	11.5	1,070	12.9	37	2.8
1975-----	2,636	27.0	2,523	29.8	113	8.8	1,232	12.6	1,178	13.9	54	4.2
1974-----	2,809	28.0	2,684	30.7	125	9.6	1,343	13.4	1,285	14.7	58	4.5
1973-----	3,028	27.9	2,903	30.8	125	8.8	1,499	13.8	1,437	15.3	62	4.4
1972-----	3,386	28.5	3,314	31.5	72	5.3	1,657	13.9	1,635	15.5	22	1.6
1971-----	3,822	27.5	3,682	30.4	140	7.9	1,783	12.8	1,746	14.4	37	2.1
1970-----	4,007	26.8	3,851	29.4	156	8.3	1,861	12.4	1,820	13.9	41	2.2

Table 5.--DEATHS AND DEATH RATES BY RACE:
DISTRICT OF COLUMBIA RESIDENTS, 1970-1984

Year	Deaths - all ages					
	Total		Black		White	
	Number	Rate*	Number	Rate*	Number	Rate*
1984.....	6,683	10.7	4,883	10.7	1,800	10.7
1983.....	6,691	10.7	4,840	10.5	1,851	11.0
1982.....	6,469	10.3	4,718	10.2	1,751	10.4
1981.....	6,846	10.7	4,928	10.6	1,918	11.2
1980.....	6,982	10.9	4,888	10.5	2,094	12.2
1979.....	6,734	10.2	4,685	9.6	2,049	12.0
1978.....	6,959	10.3	4,776	9.5	2,183	12.6
1977.....	7,064	10.2	4,828	9.3	2,236	13.0
1976.....	7,238	10.2	4,940	9.2	2,298	13.6
1975.....	7,446	10.3	5,018	9.0	2,428	14.9
1974.....	7,815	10.7	5,200	9.3	2,615	15.5
1973.....	8,017	10.8	5,172	9.2	2,845	15.9
1972.....	8,313	11.0	5,419	9.8	2,894	14.4
1971.....	8,405	11.2	5,429	9.8	2,976	14.8
1970.....	8,690	11.5	5,360	9.8	3,330	15.9

*Rates per 1,000 population

Table 6.--INFANT AND NEONATAL DEATHS AND DEATH RATES BY RACE: DISTRICT OF COLUMBIA RESIDENTS, 1970-1984

Year	Infant deaths						Neonatal deaths					
	Total		Black		White		Total		Black		White	
	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate*
1984----	202	21.2	189	24.0	13	7.8	154	16.1	145	18.4	9	5.4
1983----	173	18.2	159	20.1	14	8.6	126	13.2	113	14.3	13	8.0
1982----	190	20.3	180	23.3	10	6.0	137	14.6	134	17.4	3	1.8
1981----	211	22.6	196	25.3	15	9.5	162	17.4	147	19.0	15	9.5
1980----	228	24.6	210	26.6	18	13.1	168	18.1	156	19.8	12	8.7
1979----	207	22.0	199	24.7	8	5.9	159	16.9	152	18.9	7	5.2
1978----	242	25.8	229	28.6	13	9.5	179	19.1	168	21.0	11	8.0
1977----	270	27.3	251	29.5	19	13.9	203	20.3	189	22.2	14	10.2
1976----	240	24.9	230	27.7	10	7.5	193	20.0	188	22.7	5	3.7
1975----	279	28.6	254	30.0	25	19.5	220	22.6	198	23.4	22	17.1
1974----	277	27.6	255	29.2	22	16.9	216	21.5	196	22.4	20	15.4
1973----	276	25.5	245	26.0	31	21.8	208	19.2	185	19.7	23	16.2
1972----	323	27.2	296	28.1	27	19.7	235	19.8	213	20.3	22	16.1
1971----	396	28.5	368	30.3	28	15.7	294	21.1	273	22.5	21	11.8
1970----	432	28.9	389	29.7	43	23.0	339	22.7	303	23.1	36	19.3

*Rates per 1,000 live births.

Table 7.--THREE YEAR MOVING AVERAGE OF INFANT MORTALITY RATES BY AGE AT DEATH: DISTRICT OF COLUMBIA, 1969-1971 TO 1982-1984

Year	Rate per 1,000 live births				
	All ages	Less than 1 day	1-6 days	7-27 days	28 days-11 months
1969-1971	28.8	14.4	5.6	2.1	6.6
1970-1972	28.2	13.4	5.8	2.0	7.0
1971-1973	27.1	12.3	5.7	2.0	7.0
1972-1974	26.8	11.7	5.8	2.7	6.6
1973-1975	27.2	12.1	6.1	2.8	6.1
1974-1976	27.0	12.4	6.3	2.7	5.7
1975-1977	26.9	12.4	6.2	2.5	5.9
1976-1978	26.0	11.9	5.8	2.2	6.1
1977-1979	25.0	11.5	5.1	2.2	6.2
1978-1980	24.2	11.1	5.1	1.9	6.1
1979-1981	23.1	10.5	5.1	1.9	5.6
1980-1982	22.5	9.6	5.3	1.8	5.8
1981-1983	20.3	8.7	4.6	1.7	5.3
1982-1984	19.9	8.8	3.9	2.0	5.2

Table 8.--FETAL DEATHS AND DEATH RATES BY RACE:
DISTRICT OF COLUMBIA RESIDENTS, 1970-1984

Year	Fetal deaths					
	Total		Black		White	
	Number	Rate*	Number	Rate*	Number	Rate*
1984	143	14.8	116	14.5	21	12.5
1983	128	13.3	114	14.2	14	8.5
1982	114	12.0	104	13.3	10	6.0
1981	123	13.0	115	14.6	8	5.0
1980	126	13.4	103	12.9	23	16.5
1979	112	11.8	100	12.3	12	8.8
1978	137	14.4	125	15.4	12	8.7
1977	160	15.9	152	17.5	8	5.9
1976	169	17.2	154	18.2	15	11.1
1975	149	15.1	138	16.0	11	8.5
1974	140	13.8	127	14.3	13	9.9
1973	141	12.8	127	13.3	14	9.7
1972	250	20.6	216	20.1	34	24.3
1971	286	20.1	240	19.4	46	25.2
1970	258	17.0	228	17.1	30	15.8

*Rate per 1,000 deliveries.

Table 9.--PERINATAL DEATHS AND DEATH RATES BY RACE:
DISTRICT OF COLUMBIA RESIDENTS, 1970-1984
(Neonatal plus fetal deaths)

Year	Total		Black		White	
	Number	Rate*	Number	Rate*	Number	Rate*
1984	297	31.1	261	32.6	30	17.8
1983	254	26.3	227	28.3	27	16.4
1982	251	26.4	238	30.5	13	7.7
1981	285	30.1	262	33.3	23	14.5
1980	294	31.3	259	32.4	35	25.1
1979	271	28.5	252	30.9	19	14.0
1978	316	33.2	293	36.0	23	16.7
1977	363	35.7	336	38.8	22	16.0
1976	362	36.5	341	40.4	17	12.6
1975	369	37.3	336	39.1	33	25.5
1974	356	35.0	323	36.4	33	25.1
1973	349	31.8	326	34.2	37	25.7
1972	485	40.0	429	40.0	56	39.9
1971	580	40.8	513	41.5	67	36.6
1970	597	39.2	531	39.9	66	34.8

*Rate per 1,000 deliveries.

Table 10.--MATERNAL MORTALITY:
DISTRICT OF COLUMBIA RESIDENTS, 1970-1984

Year	Maternal deaths					
	Total		Black		White	
	Number	Rate*	Number	Rate*	Number	Rate*
1984...	-	-	-	-	-	-
1983...	-	-	-	-	-	-
1982...	3	3.2	3	3.9	-	-
1981...	1	1.1	1	1.3	-	-
1980...	1	1.1	1	1.3	-	-
1979...	3	3.2	2	2.5	1	7.4
1978...	-	-	-	-	-	-
1977...	3	3.0	3	3.5	-	-
1976...	2	2.1	2	2.4	-	-
1975...	4	4.1	4	4.7	-	-
1974...	4	4.0	4	4.6	-	-
1973...	2	1.8	2	2.1	-	-
1972...	2	1.7	2	1.9	-	-
1971...	4	2.9	3	2.5	1	5.6
1970...	11	7.4	10	7.6	1	5.4

*Rate per 10,000 live births

Table 11.--RESIDENT INFANT DEATHS AND DEATH RATES BY AGE: DISTRICT OF COLUMBIA, 1980-1984

Year	Number						Rate per 1,000 live births					
	All ages	Under 28 days				28 days-11 months	All ages	Under 28 days				28 days-11 months
		Total	Under 1 day	1-6 days	7-27 days			Total	Under 1 day	1-6 days	7-27 days	
1984....	202	154	96	34	24	48	21.2	16.1	10.1	3.6	2.5	5.0
1983....	173	126	75	34	17	47	18.2	13.2	7.9	3.6	1.8	4.9
1982....	190	137	78	43	16	53	20.3	14.6	8.3	4.6	1.7	5.7
1981....	211	162	94	52	16	49	22.6	17.4	10.1	5.6	1.7	5.3
1980....	228	168	96	53	19	60	24.6	18.1	10.4	5.7	2.1	6.5

Table 12.--NUMBER OF RESIDENT INFANT DEATHS BY WARD, RACE AND AGE AT DEATH: DISTRICT OF COLUMBIA, 1984

Ward	Total	Total					Black						White				
		Neonatal				Post Neonatal		Neonatal				Post Neonatal		Neonatal				Post Neonatal
		Total	Less 1 day	1-6 days	7-27 days	28 days - 11 mos.	Total	Total	Less 1 day	1-6 days	7-27 days	28 days - 11 mos.	Total	Total	Less 1 day	1-6 days	7-27 days	28 days - 11 mos.
Total...	202	154	96	34	24	48	189	145	90	33	22	44	13	9	6	1	2	4
Ward 1..	27	21	12	5	4	6	21	15	9	4	2	6	6	6	3	1	2	-
Ward 2..	19	17	14	2	1	2	16	15	12	2	1	1	3	2	2	-	-	1
Ward 3..	4	1	-	-	1	3	2	1	-	-	1	1	2	-	-	-	-	2
Ward 4..	19	14	9	4	1	5	19	14	9	4	1	5	-	-	-	-	-	-
Ward 5..	32	21	15	5	1	11	31	20	14	5	1	11	1	1	1	-	-	-
Ward 6..	28	25	14	5	6	3	28	25	14	5	6	3	-	-	-	-	-	-
Ward 7..	35	27	16	8	3	8	35	27	16	8	3	8	-	-	-	-	-	-
Ward 8..	38	28	16	5	7	10	37	28	16	5	7	9	1	-	-	-	-	1

Table 13.--RESIDENT INFANT MORTALITY RATES BY WARD, RACE AND AGE AT DEATH: DISTRICT OF COLUMBIA, 1984

Ward	Total	Total					Total	Black					Total	White				
		Neonatal				Post Neonatal		Neonatal				Post Neonatal		Neonatal				Post Neonatal
		Total	Less 1 day	1-6 days	7-27 days	28 days - 11 mos.		Total	Less 1 day	1-6 days	7-27 days	28 days - 11 mos .		Total	Less 1 day	1-6 days	7-27 days	28 days - 11 months
Total...	21.2	16.1	10.1	3.6	2.5	5.0	24.0	18.4	11.4	4.2	2.9	5.6	7.8	5.4	3.6	0.6	1.2	2.4
Ward 1..	20.6	16.0	9.2	3.8	3.1	4.6	21.6	15.4	9.2	4.1	2.1	6.2	17.8	17.8	8.9	3.0	5.9	-
Ward 2..	18.7	16.7	13.8	2.0	1.0	2.0	21.1	19.7	15.8	2.6	1.3	1.3	11.7	7.8	7.8	-	-	3.9
Ward 3..	5.6	1.4	-	-	1.4	4.2	18.7	9.3	-	-	9.3	9.3	3.3	-	-	-	-	3.3
Ward 4..	19.8	14.6	9.4	4.2	1.0	5.2	21.5	15.8	10.2	4.5	1.1	5.6	-	-	-	-	-	-
Ward 5..	25.7	16.9	12.1	4.0	0.8	8.8	25.7	16.6	11.6	4.1	0.8	9.1	25.6	25.6	25.6	-	-	-
Ward 6..	24.6	22.0	12.3	4.4	5.3	2.6	28.8	25.7	14.4	5.1	6.2	3.1	-	-	-	-	-	-
Ward 7..	25.4	19.6	11.6	5.8	2.2	5.8	26.1	20.1	11.9	6.0	2.2	6.0	-	-	-	-	-	-
Ward 8..	22.0	15.0	9.3	2.9	4.0	5.8	23.1	17.5	10.0	3.1	4.4	5.6	7.9	-	-	-	-	7.9

NOTE: Rates per 1,000 live births.

Table 14.--LIVE BIRTHS, OUT-OF-WEDLOCK BIRTHS, INFANT DEATHS, FETAL DEATHS, TOTAL DEATHS, BY PLACE OF OCCURRENCE AND RESIDENCE: DISTRICT OF COLUMBIA, 1984

Place of occurrence resident status	Live births	Out-of-wedlock births	Infant deaths	Fetal deaths	Total deaths*
Total recorded events.....	19,617	7,160	421	282	8,501
District of Columbia residents....	8,743	5,300	196	143	6,066
Maryland residents.....	8,169	1,625	157	111	1,601
Virginia residents.....	2,607	217	57	26	503
Resident of other states.....	98	18	9	1	292
Not stated.....	-	-	2	1	39
Resident events.....	9,549	5,573	202	143	6,683
Occurring in D.C.	8,743	5,300	196	143	6,066
Occurring in other states.....	806	273	6	-	617

*Includes infant deaths but not fetal deaths.

Table 15.--RECORDED EVENTS, AND RESIDENT EVENTS IN OTHER STATES: DISTRICT OF COLUMBIA RESIDENTS, 1970-1984

Year	Recorded events - in D.C.		Resident events - outside D.C.	
	Births	Deaths	Births	Deaths
1984.....	19,617	8,498	806	617
1983.....	19,595	8,404	772	662
1982.....	19,933	8,508	524	484
1981.....	21,209	8,678	530	612
1980	20,262	8,815	373	623
1979.....	20,157	8,619	368	560
1978.....	19,743	8,755	413	649
1977.....	20,653	8,987	436	621
1976.....	19,916	9,183	431	716
1975.....	19,826	9,423	359	731
1974.....	19,865	9,786	337	814
1973.....	20,696	9,850	383	927
1972.....	22,600	10,153	413	961
1971.....	25,932	10,291	473	1,024
1970.....	28,141	10,526	562	1,105

Table 16a.--RECORDED NUMBER OF LIVE BIRTHS AND DEATHS: NUMBER AND RATES OF INFANT, NEONATAL AND FETAL DEATHS BY RACE: DISTRICT OF COLUMBIA, 1975-1984

Race and Year	Live births	Deaths	Number			Rates		
			Infant deaths	Neonatal deaths	Fetal 1/ deaths	Infant 2/ deaths	Neonatal 2/ deaths	Fetal 3/ deaths
TOTAL								
1984.....	19,617	8,498	418	310	282	21.3	15.8	14.2
1983.....	19,595	8,404	371	278	234	18.9	14.2	11.8
1982.....	19,933	8,508	425	304	219	21.3	15.3	10.9
1981.....	20,209	8,678	445	343	232	22.0	17.0	11.3
1980.....	20,262	8,815	494	376	239	24.4	18.6	11.7
1979.....	20,157	8,619	434	229	194	21.5	16.6	9.5
1978.....	19,743	8,755	482	374	222	24.4	18.9	11.1
1977.....	20,653	8,987	333	379	271	24.1	18.4	13.0
1976.....	19,916	9,183	327	386	279	24.1	19.4	13.8
1975.....	19,826	9,423	309	409	241	25.4	20.6	12.0

1/Includes only fetal deaths for which period of gestation was given as 20 weeks or more or was not stated.

2/Per 1,000 live births.

3/Per 1,000 deliveries.

Table 16b.--RECORDED NUMBER OF LIVE BIRTHS AND DEATHS: NUMBER AND RATES OF INFANT, NEONATAL AND FETAL DEATHS BY RACE: DISTRICT OF COLUMBIA, 1975-1984

Race and Year	Live births	Deaths	Number			Rates		
			Infant deaths	Neonatal deaths	Fetal 1/ deaths	Infant 2/ deaths	Neonatal 2/ deaths	Fetal 3/ deaths
WHITE								
1984.....	7,545	3,162	134	96	89	17.8	12.7	11.7
1983.....	7,617	3,159	133	104	69	17.5	13.7	9.0
1982.....	8,108	3,368	134	85	60	16.5	10.5	7.4
1981.....	8,302	3,340	170	137	66	20.5	16.5	7.9
1980.....	8,177	3,573	186	140	81	22.7	17.1	9.8
1979.....	8,043	3,550	139	105	55	17.3	13.1	6.8
1978.....	8,231	3,658	161	122	66	19.6	14.8	8.0
1977.....	8,686	3,866	164	124	74	18.9	14.3	8.4
1976.....	8,372	4,016	153	116	78	18.3	13.9	9.2
1975.....	8,475	4,257	195	163	62	23.0	19.2	7.3

1/Includes only fetal deaths for which period of gestation was given as 20 weeks or more or was not stated.

2/Per 1,000 live births.

3/Per 1,000 deliveries.

Table 16c.--RECORDED NUMBER OF LIVE BIRTHS AND DEATHS: NUMBER AND RATES OF INFANT, NEONATAL AND FETAL DEATHS BY RACE: DISTRICT OF COLUMBIA, 1975-1984

Race and Year	Live births	Deaths	Number			Rates		
			Infant deaths	Neonatal deaths	Fetal 1/ deaths	Infant 2/ deaths	Neonatal 2/ deaths	Fetal 3/ deaths
BLACK								
1984.....	12,072	5,336	284	214	193	23.5	17.7	15.7
1983.....	11,978	5,245	238	174	165	19.9	14.5	13.6
1982.....	11,825	5,140	291	219	159	24.6	18.5	13.3
1981.....	11,907	5,338	275	206	166	23.1	17.3	13.7
1980.....	12,085	5,242	308	236	158	25.5	19.5	13.6
1979.....	12,114	5,069	295	229	139	24.4	18.9	11.3
1978.....	11,512	5,975	321	252	156	27.9	21.9	13.4
1977.....	11,967	5,121	333	255	197	27.8	21.3	16.2
1976.....	11,544	5,167	327	270	201	28.3	23.4	17.1
1975.....	11,351	5,166	309	246	179	27.2	21.7	15.5

1/Includes only fetal deaths for which period of gestation was given as 20 weeks or more or was not stated.

2/Per 1,000 live births.

3/Per 1,000 deliveries.

Table 17a.--LIVE BIRTHS BY LIVE-BIRTH ORDER, AGE OF MOTHER AND PLURALITY, ALL RACES: DISTRICT OF COLUMBIA, 1984

Age of Mother and Plurality	Total	Live-Birth Order										
		1st	2nd	3rd	4th	5th	6th	7th	8th	9th	10th & over	Not stated
Total.....	9,549	4,512	2,730	1,312	533	249	69	36	27	12	2	67
Less than 15 years....	54	51	3	-	-	-	-	-	-	-	-	-
11 and under.....	-	-	-	-	-	-	-	-	-	-	-	-
12.....	1	1	-	-	-	-	-	-	-	-	-	-
13.....	9	9	-	-	-	-	-	-	-	-	-	-
14.....	44	41	3	-	-	-	-	-	-	-	-	-
15-19 years.....	1,693	1,322	302	45	8	3	1	1	-	-	-	11
15.....	106	100	6	-	-	-	-	-	-	-	-	-
16.....	220	190	28	2	-	-	-	-	-	-	-	-
17.....	321	275	40	2	-	-	-	-	-	-	-	4
18.....	467	363	81	18	1	1	-	-	-	-	-	3
19.....	579	394	147	23	7	2	1	1	-	-	-	4
20-24 years.....	2,870	1,408	913	374	110	34	3	2	2	-	-	24
25-29 years.....	2,362	881	745	441	182	65	24	4	4	1	-	15
30-34 years.....	1,682	577	501	304	149	94	24	10	8	3	-	12
35-39 years.....	756	230	241	126	68	46	12	13	9	6	1	4
40-44 years.....	111	32	22	19	16	5	5	6	3	2	1	-
45 and over.....	3	-	-	1	-	1	-	-	1	-	-	-
Not stated.....	18	11	3	2	-	1	-	-	-	-	-	1

Table 17b.--LIVE BIRTHS BY LIVE-BIRTH ORDER, AGE OF MOTHER AND PLURALITY, ALL RACES: DISTRICT OF COLUMBIA, 1984

Age of Mother and Plurality	Total	Live-Birth Order									
		1st	2nd	3rd	4th	5th	6th	7th	8th	9th	10th & Over	Not stated
Single Births.....	9,301	4,458	2,640	1,257	506	236	66	33	25	12	2	66
Less than 15 years.....	54	51	3	-	-	-	-	-	-	-	-	-
11 and under.....	-	-	-	-	-	-	-	-	-	-	-	-
12.....	1	1	-	-	-	-	-	-	-	-	-	-
13.....	9	9	-	-	-	-	-	-	-	-	-	-
14.....	44	41	3	-	-	-	-	-	-	-	-	-
15-19 years.....	1,673	1,314	294	43	8	3	-	-	-	-	-	11
15.....	106	100	6	-	-	-	-	-	-	-	-	-
16.....	216	188	26	2	-	-	-	-	-	-	-	-
17.....	319	273	40	2	-	-	-	-	-	-	-	4
18.....	459	361	77	16	1	1	-	-	-	-	-	3
19.....	573	392	145	23	7	2	-	-	-	-	-	4
20-24 years.....	2,768	1,386	873	347	102	31	3	1	1	-	-	24
25-29 years.....	2,306	872	726	427	173	61	23	4	4	1	-	15
30-34 years.....	1,646	572	492	297	141	89	23	10	8	3	-	11
35-39 years.....	722	220	227	121	66	45	12	12	8	6	1	4
40-44 years.....	111	32	22	19	16	5	5	6	3	2	1	-
45 and over.....	3	-	-	1	-	1	-	-	1	-	-	-
Not stated.....	18	11	3	2	-	1	-	-	-	-	-	1

Table 17c.--LIVE BIRTHS BY LIVE-BIRTH ORDER, AGE OF MOTHER AND PLURALITY, ALL RACES: DISTRICT OF COLUMBIA, 1984

Age of Mother and Plurality	Total	Live-Birth Order										
		1st	2nd	3rd	4th	5th	6th	7th	8th	9th	10th & Over	Not stated
Plural Births.....	248	54	90	55	27	13	3	3	2	-	-	1
Less than 15 years.....	-	-	-	-	-	-	-	-	-	-	-	-
11 and under.....	-	-	-	-	-	-	-	-	-	-	-	-
12.....	-	-	-	-	-	-	-	-	-	-	-	-
13.....	-	-	-	-	-	-	-	-	-	-	-	-
14.....	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	20	8	8	2	-	-	1	1	-	-	-	-
15.....	-	-	-	-	-	-	-	-	-	-	-	-
16.....	4	2	2	-	-	-	-	-	-	-	-	-
17.....	2	2	-	-	-	-	-	-	-	-	-	-
18.....	8	2	4	2	-	-	-	-	-	-	-	-
19.....	6	2	2	-	-	-	1	1	-	-	-	-
20-24 years.....	102	22	40	27	8	3	-	1	1	-	-	-
25-29 years.....	56	9	19	14	9	4	1	-	-	-	-	-
30-34 years.....	36	5	9	7	8	5	1	-	-	-	-	1
35-39 years.....	34	10	14	5	2	1	-	1	1	-	-	-
40-44 years.....	-	-	-	-	-	-	-	-	-	-	-	-
45 and over.....	-	-	-	-	-	-	-	-	-	-	-	-
Not stated.....	-	-	-	-	-	-	-	-	-	-	-	-

Table 18a.--LIVE BIRTHS BY LIVE-BIRTH ORDER AND AGE OF MOTHER, BLACK RESIDENTS: DISTRICT OF COLUMBIA, 1984

Age of Mother	Total	Live-Birth Order										
		1st	2nd	3rd	4th	5th	6th	7th	8th	9th	10th & Over	Not stated
Total	7,888	3,638	2,217	1,138	486	232	65	35	24	11	2	40
Less than 15 years	53	50	3	-	-	-	-	-	-	-	-	-
11 and under	-	-	-	-	-	-	-	-	-	-	-	-
12	1	1	-	-	-	-	-	-	-	-	-	-
13	9	9	-	-	-	-	-	-	-	-	-	-
14	43	40	3	-	-	-	-	-	-	-	-	-
15-19 years	1,626	1,268	292	45	8	3	1	1	-	-	-	8
15	103	97	6	-	-	-	-	-	-	-	-	-
16	219	189	28	2	-	-	-	-	-	-	-	-
17	310	266	39	2	-	-	-	-	-	-	-	3
18	444	346	76	18	1	1	-	-	-	-	-	2
19	550	370	143	23	7	2	1	1	-	-	-	3
20-24 years	2,590	1,261	826	340	108	33	3	2	2	-	-	15
25-29 years	1,996	666	643	410	171	61	24	4	4	1	-	12
30-34 years	1,123	277	334	250	131	87	22	9	7	3	-	3
35-39 years	419	93	110	81	55	43	10	13	7	5	1	1
40-44 years	62	12	6	10	13	4	5	6	3	2	1	-
45 and over	1	-	-	-	-	-	-	-	1	-	-	-
Not stated	18	11	3	2	-	1	-	-	-	-	-	1

Table 18b.--LIVE BIRTHS BY LIVE-BIRTH ORDER AND AGE OF MOTHER, WHITE RESIDENTS: DISTRICT OF COLUMBIA, 1984

Age of Mother	Total	Live-Birth Order										
		1st	2nd	3rd	4th	5th	6th	7th	8th	9th	10th & Over	Not stated
Total	1,661	874	513	174	47	17	4	1	3	1	-	27
Less than 15 years	1	1	-	-	-	-	-	-	-	-	-	-
11 and under	-	-	-	-	-	-	-	-	-	-	-	-
12	-	-	-	-	-	-	-	-	-	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-
14	1	1	-	-	-	-	-	-	-	-	-	-
15-19 years	67	54	10	-	-	-	-	-	-	-	-	3
15	3	3	-	-	-	-	-	-	-	-	-	-
16	1	1	-	-	-	-	-	-	-	-	-	-
17	11	9	1	-	-	-	-	-	-	-	-	1
18	23	17	5	-	-	-	-	-	-	-	-	1
19	29	24	4	-	-	-	-	-	-	-	-	1
20-24 years	280	147	87	34	2	1	-	-	-	-	-	9
25-29 years	366	215	102	31	11	4	-	-	-	-	-	3
30-34 years	559	300	167	54	18	7	2	1	1	-	-	9
35-39 years	337	137	131	45	13	3	2	-	2	1	-	3
40-44 years	49	20	16	9	3	1	-	-	-	-	-	-
45 and over	2	-	-	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

Table 19a.--LIVE BIRTHS BY WARD AND AGE OF MOTHER, ALL RESIDENTS: DISTRICT OF COLUMBIA, 1984

Ward	Total	Age of mother (in years)								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Not Stated
Total.....	9,549	54	1,693	2,870	2,362	1,682	756	111	3	18
Ward 1.....	1,311	7	211	409	329	228	111	13	1	2
Ward 2.....	1,017	4	174	282	248	204	88	16	-	1
Ward 3.....	718	-	4	52	153	296	186	27	-	-
Ward 4.....	958	3	141	280	256	200	71	5	-	2
Ward 5.....	1,244	10	245	384	328	188	71	13	1	4
Ward 6.....	1,136	8	227	347	258	202	83	10	-	1
Ward 7.....	1,379	7	311	459	343	171	72	13	-	3
Ward 8.....	1,729	15	370	638	437	179	71	13	1	5
Not reported.....	57	-	10	19	10	14	3	1	-	-

Table 19b.--LIVE BIRTHS BY WARD AND AGE OF MOTHER, BLACK RESIDENTS: DISTRICT OF COLUMBIA, 1984

Ward	Total	Age of mother (in years)								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Not Stated
Total.....	7,888	53	1,626	2,590	1,996	1,123	419	62	1	18
Ward 1.....	974	7	181	317	250	147	63	7	-	2
Ward 2.....	760	4	159	238	178	128	46	6	-	1
Ward 3.....	107	-	-	15	32	41	18	1	-	-
Ward 4.....	885	2	138	268	245	165	61	4	-	2
Ward 5.....	1,205	10	245	378	315	179	63	11	-	4
Ward 6.....	972	8	225	338	227	128	38	7	-	1
Ward 7.....	1,340	7	308	444	339	164	62	13	-	3
Ward 8.....	1,602	15	360	579	401	161	67	13	1	5
Not reported.....	43	-	10	13	9	10	1	-	-	-

Table 19c.--LIVE BIRTHS BY WARD AND AGE OF MOTHER, WHITE RESIDENTS: DISTRICT OF COLUMBIA, 1984

Ward	Total	Age of mother (in years)								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Not Stated
Total.....	1,661	1	67	280	366	559	337	49	2	-
Ward 1.....	337	-	30	92	79	81	48	6	1	-
Ward 2.....	257	-	15	44	70	76	42	10	-	-
Ward 3.....	611	-	4	37	121	255	168	26	-	-
Ward 4.....	73	1	3	12	11	35	10	1	-	-
Ward 5.....	39	-	-	6	13	9	8	2	1	-
Ward 6.....	164	-	2	9	31	74	45	3	-	-
Ward 7.....	39	-	3	15	4	7	10	-	-	-
Ward 8.....	127	-	10	59	36	18	4	-	-	-
Not reported.....	14	-	-	6	1	4	2	1	-	-

Table 20a.--NUMBER AND PERCENT DISTRIBUTION OF RESIDENT LIVE BIRTHS, AND BIRTHS WITH SELECTED CHARACTERISTICS (OUT-OF-WEDLOCK, PREMATURE, IMMATURE AND WITH INADEQUATE PRENATAL CARE) BY RACE AND WARD: DISTRICT OF COLUMBIA, 1984

Race and Selected Characteristics	Total	Ward								
		1	2	3	4	5	6	7	8	Unknown
ALL RACES										
Total live births.....	9,549	1,311	1,017	718	958	1,244	1,136	1,379	1,729	57
Percent distribution.....	100.0	13.7	10.7	7.5	10.0	13.0	11.9	14.4	18.1	0.7
Out-of-wedlock births										
Number.....	5,573	718	553	65	517	807	728	959	1,195	31
Ratio per 1,000 live births..	583.6	547.7	543.8	90.5	539.7	648.7	640.8	695.4	691.2	543.9
Premature births 1/										
Number.....	1,607	216	144	42	150	236	215	259	329	16
Percent of total births.....	16.8	16.5	14.2	5.8	15.7	19.0	18.9	18.8	19.0	28.1
Percent distribution.....	100.0	13.4	9.0	2.6	9.3	14.7	13.4	16.1	20.5	1.0
Immature births 2/										
Number.....	1,227	168	113	25	121	168	169	216	241	6
Percent of total births.....	12.8	12.8	11.1	3.5	12.6	13.5	14.9	15.7	13.9	10.5
Percent distribution.....	100.0	13.7	9.2	2.0	9.9	13.7	13.8	17.6	19.6	0.5
Inadequate prenatal care 3/										
Number.....	707	132	81	15	62	102	76	107	129	3
Percent of total births.....	7.4	10.1	8.0	2.1	6.5	8.2	6.7	7.8	7.5	5.3
Percent distribution.....	100.0	18.7	11.5	2.1	8.8	14.4	10.7	15.1	18.2	0.4

1/Less than 37 weeks period of gestation.

2/Birth weight of 2,500 grams or less.

3/Prenatal care initiated in last trimester (29 weeks or more) or no prenatal care.

Table 20b.--NUMBER AND PERCENT DISTRIBUTION OF RESIDENT LIVE BIRTHS, AND BIRTHS WITH SELECTED CHARACTERISTICS (OUT-OF-WEDLOCK, PREMATURE, IMMATURE AND WITH INADEQUATE PRENATAL CARE) BY RACE AND WARD: DISTRICT OF COLUMBIA, 1984

Race and Selected Characteristics	Total	Ward								
		1	2	3	4	5	6	7	8	Unknown
BLACK										
Total live births.....	7,888	974	760	107	885	1,205	972	1,340	1,602	43
Percent distribution.....	100.0	12.3	9.6	1.4	11.2	15.3	12.3	17.0	20.3	0.6
Out-of-wedlock births										
Number.....	5,307	602	506	25	508	798	708	946	1,188	26
Ratio per 1,000 live births..	672.8	618.1	665.8	233.6	574.0	662.2	728.4	706.0	741.6	604.7
Premature births 1/										
Number.....	1,480	190	128	8	138	230	205	253	316	12
Percent of total births.....	18.8	19.5	16.8	7.5	15.6	19.1	21.1	18.9	19.7	27.9
Percent distribution.....	100.0	12.8	8.6	0.5	9.3	15.5	13.9	17.1	21.4	0.9
Immature births 2/										
Number.....	1,143	152	99	4	114	165	163	211	230	5
Percent of total births.....	14.5	15.6	13.0	3.7	12.9	13.7	16.8	15.7	14.4	11.6
Percent distribution.....	100.0	13.3	8.7	0.3	10.0	14.4	14.3	18.5	20.1	0.4
Inadequate prenatal care 3/										
Number.....	654	113	68	7	58	97	74	106	128	3
Percent of total births.....	8.3	11.6	8.9	6.5	6.6	8.0	7.6	7.9	8.0	7.0
Percent distribution.....	100.0	17.3	10.4	1.1	8.9	14.8	11.3	16.2	19.6	0.5

1/Less than 37 weeks period of gestation.

2/Birth weight of 2,500 grams or less.

3/Prenatal care initiated in last trimester (29 weeks or more) or no prenatal care.

Table 20c.--NUMBER AND PERCENT DISTRIBUTION OF RESIDENT LIVE BIRTHS, AND BIRTHS WITH SELECTED CHARACTERISTICS (OUT-OF-WEDLOCK, PREMATURE, IMMATURE AND WITH INADEQUATE PRENATAL CARE) BY RACE AND WARD: DISTRICT OF COLUMBIA, 1984

Race and Selected Characteristics	Total	Ward								
		1	2	3	4	5	6	7	8	Unknown
WHITE										
Total live births	1,661	337	257	611	73	39	164	39	127	14
Percent distribution	100.0	20.3	15.5	36.8	4.4	2.3	9.9	2.3	7.6	0.9
Out-of-wedlock births										
Number	266	116	47	40	9	9	20	13	7	5
Ratio per 1,000 live births	160.1	344.2	182.9	65.5	123.3	230.8	122.0	333.3	55.1	357.1
Premature births 1/										
Number	127	26	16	34	12	6	10	6	13	4
Percent of total births	7.6	7.7	6.2	5.6	16.4	15.4	6.1	15.4	10.2	28.6
Percent distribution	100.0	20.5	12.6	26.9	9.4	4.7	7.9	4.7	10.2	3.1
Immature births 2/										
Number	84	16	14	21	7	3	6	5	11	1
Percent of total births	5.1	4.7	5.4	3.4	9.6	7.7	3.7	12.8	8.7	7.1
Percent distribution	100.0	19.0	16.7	25.0	8.3	3.6	7.1	6.0	13.1	1.2
Inadequate prenatal care 3/										
Number	53	19	13	8	4	5	2	1	1	-
Percent of total births	3.2	5.6	5.1	1.3	5.5	12.8	1.2	2.6	0.8	-
Percent distribution	100.0	35.8	24.5	15.1	7.5	9.4	3.8	1.9	1.9	-

1/Less than 37 weeks period of gestation.

2/Birth weight of 2,500 grams or less.

3/Prenatal care initiated in last trimester (29 weeks or more) or no prenatal care.

Table 21a.--RESIDENT DEATHS FOR 20 LEADING CAUSES BY RACE AND SEX:
DISTRICT OF COLUMBIA, 1984

Rank	Cause of Death	Total			Black			White		
		Total	Male	Female	Total	Male	Female	Total	Male	Female
	Total All Causes	6,683	3,531	3,152	4,883	2,724	2,159	1,800	807	993
01	Diseases of Heart (390-398,402,404-429)	2,188	1,081	1,107	1,506	779	727	682	302	380
02	Cancer (including etc.)(140-208)	1,541	850	691	1,149	664	485	392	186	206
03	Cerebrovascular Disease (430-438)	410	171	239	257	128	129	153	43	110
04	Accidents and Adverse Effects (800-949)	247	182	65	203	156	47	44	26	18
05	Pneumonia and Influenza (480-487)	178	85	93	137	66	71	41	19	22
06	Homicide and Legal Intervention (960-978)	170	134	36	155	122	34	14	12	2
07	Chronic Liver Disease and Cirrhosis (571)	165	99	66	132	79	53	33	20	13
08	Chronic Obstructive Pulmonary Disease, etc. (490-496)	154	89	65	87	56	31	67	33	34
09	Certain Perinatal Conditions (760-779)	136	86	50	127	81	46	9	5	4
10	Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	107	46	61	93	40	53	14	6	8
11	Septicemia (038)	106	47	59	80	36	44	26	11	15
12	Diabetes Mellitus (250)	102	30	72	83	27	56	19	3	16
13	Atherosclerosis (440)	77	24	53	34	13	21	43	11	32
14	Suicide (950-959)	54	36	18	32	23	9	22	13	9
15	Congenital Anomalies (740-759)	38	23	15	32	20	12	6	3	3
16	Benign Neoplasms, Carcinoma in Situ, Neoplasms Nec (210-239)	30	15	15	23	10	13	7	5	2
17	Hypertension with or without Renal Disease (401,403).	26	8	18	21	6	15	5	2	3
18	Hernia of Abdominal Cavity & Intestinal Obstruction without Mention of Hernia (550-553,560)	25	11	14	19	10	9	6	1	5
19	Tuberculosis (010-018)	22	15	7	19	14	5	3	1	2
20	Anemias (280-285)	18	6	12	12	4	8	6	2	4
21	Residual	889	493	396	681	390	291	208	103	105

Table 21b.--RESIDENT CRUDE DEATH RATES BY RACE AND SEX:
DISTRICT OF COLUMBIA, 1984

Rank	Cause of Death	Total			Black			White		
		Total	Male	Female	Total	Male	Female	Total	Male	Female
	Total All Causes	1066.0	1216.3	936.4	1066.4	1286.7	876.9	1065.1	1026.7	1098.5
01	Diseases of Heart (390-398,402,404-429)	349.0	372.4	328.9	328.9	368.0	295.3	403.6	384.2	420.4
02	Cancer (including etc.)(140-208)	245.8	292.8	205.3	250.9	313.7	197.0	232.0	236.6	227.9
03	Cerebrovascular Disease (430-438)	65.4	58.9	71.0	56.1	60.5	52.4	90.5	54.7	121.7
04	Accidents and Adverse Effects (800-949)	39.4	62.7	19.3	44.3	73.7	19.1	26.0	33.1	19.9
05	Pneumonia and Influenza (480-487)	28.4	29.3	27.6	29.9	31.2	28.8	24.3	24.2	24.3
06	Homicide and Legal Intervention (960-978)	27.1	46.2	10.7	34.1	57.6	13.8	8.3	15.3	2.2
07	Chronic Liver Disease and Cirrhosis (571)	26.3	34.1	19.6	28.8	37.3	21.5	19.5	25.4	14.4
08	Chronic Obstructive Pulmonary Disease, etc. (490-496)	24.6	30.7	19.3	19.0	26.5	12.6	39.6	42.0	37.6
09	Certain Perinatal Conditions (760-779)	21.2	29.6	14.9	27.1	38.3	18.7	5.3	6.4	4.4
10	Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	17.1	15.8	18.1	20.3	18.9	21.5	8.3	7.6	8.8
11	Septicemia (038)	16.9	16.2	17.5	17.5	17.0	17.9	15.4	14.0	16.6
12	Diabetes Mellitus (250)	16.3	10.3	21.4	18.1	12.8	22.7	11.2	3.8	17.7
13	Atherosclerosis (440)	12.3	8.3	15.7	7.4	6.1	8.5	25.4	14.0	35.4
14	Suicide (950-959)	8.6	12.4	5.3	7.0	10.9	3.7	13.0	16.5	10.0
15	Congenital Anomalies (740-759)	6.1	7.9	4.5	7.0	9.4	4.9	3.6	3.8	3.3
16	Benign Neoplasms, Carcinoma in Situ, Neoplasms Nec (210-239)	4.8	5.2	4.5	5.0	4.7	5.3	4.1	6.4	2.2
17	Hypertension with or without Renal Disease (401,403).	4.1	2.8	5.3	4.6	2.8	6.1	3.0	2.5	3.3
18	Hernia of Abdominal Cavity & Intestinal Obstruction without Mention of Hernia (550-553,560)	4.0	3.8	4.2	4.1	4.7	3.7	3.6	1.3	5.5
19	Tuberculosis (010-018)	3.5	5.2	2.2	4.1	6.6	2.0	1.8	1.3	2.2
20	Anemias (280-285)	2.9	2.1	3.6	2.6	1.9	3.2	3.6	2.5	4.4
21	Residual	141.8	169.8	117.6	148.7	184.2	118.2	123.1	131.0	116.2

NOTE: Rates per 100,000 population.

Table 22.--PRINCIPAL CAUSES OF DEATH OF RESIDENTS BY AGE GROUP AND SEX WITH RATES: DISTRICT OF COLUMBIA, 1984

ICD Code 9th Revision	Cause of death and age	Male		ICD Code 9th Revision	Cause of death and age	Female	
		Number	Rate 1/			Number	Rate 1/
	1-4 years				1-4 years		
	Total	12	85.1		Total	8	57.6
E800-E949	Accidents	5	35.5	140-208	Cancer, etc	2	14.4
E960-E978	Homicide	2	14.2	740-759	Congenital Anomalies	1	7.2
Residual	All Other Causes	5	35.5	Residual	All Other Causes	5	36.0
	5-14 years				5-14 years		
	Total	11	30.8		Total	15	43.0
E800-E949	Accidents	7	19.6	140-208	Cancer, etc	2	5.7
740-759	Congenital Anomalies	1	2.8	E800-E949	Accidents	2	5.7
140-208	Cancer, etc	2	5.6	Residual	All Other Causes	11	31.5
Residual	All Other Causes	1	2.8				
	15-24 years				15-24 years		
	Total	92	177.6		Total	31	53.6
E960-E978	Homicide	45	86.9	E960-E978	Homicide	10	17.3
E800-E949	Accidents	19	36.7	E800-E949	Accidents	9	15.6
E950-E959	Suicide	8	15.4	390-398,402,404-429	Diseases of Heart	3	5.2
390-398,402,404-429	Diseases of Heart	1	1.9	E950-E959	Suicide	3	5.2
140-208	Cancer, etc	5	9.7	Residual	All Other Causes	6	10.4
Residual	All Other Causes	14	27.0				

1/Rate per 100,000 population in specified group.

Table 22.--PRINCIPAL CAUSES OF DEATH OF RESIDENTS BY AGE GROUP AND SEX WITH RATES: DISTRICT OF COLUMBIA, 1984-CONTINUED

ICD Code 9th Revision	Cause of death and age	Male		ICD Code 9th Revision	Cause of death and age	Female	
		Number	Rate 1/			Number	Rate 1/
	25-44 years				25-44 years		
	Total	462	457.9		Total	217	192.0
E960-E978	Homicide	63	62.4	140-208	Cancer, etc	54	47.8
E800-E949	Accidents	77	76.3	390-398,402,404-429	Diseases of Heart	28	24.8
390-398,402,404-429	Diseases of Heart	53	52.5	E800-E949	Accidents	17	15.0
571	Chronic Liver Disease	27	26.8	571	Chronic Liver Disease	15	13.3
140-208	Cancer, etc	49	48.6	E960-E978	Homicide	15	13.3
480-487	Pneumonia and Influenza	10	9.9	E950-E959	Suicide	5	4.4
E950-E959	Suicide	15	14.9	Residual	All Other Causes	33	73.5
430-438	Cerebrovascular Disease	8	7.9				
Residual	All Other Causes	160	158.6				
	45-64 years				45-64 years		
	Total	1,045	1,856.1		Total	622	941.0
390-398,402,404-429	Diseases of Heart	336	596.8	140-208	Cancer, etc	199	301.1
140-208	Cancer, etc	312	55.4	390-398,402,404-429	Diseases of Heart	196	296.5
571	Chronic Liver Disease	49	87.0	430-438	Cerebrovascular Disease	24	36.3
E800-E949	Accidents	38	67.5	571	Chronic Liver Disease	29	43.9
430-438	Cerebrovascular Disease	53	94.1	250	Diabetes Mellitus	13	19.7
480-487	Pneumonia and Influenza	23	40.9	E800-E949	Accidents	10	15.1
490-496	Chronic Obstructive pulmonary,etc	14	24.9	038	Septicemia	9	13.6
580-589	Nephritis, etc	16	28.4	490-496	Chronic Obstructive Pulmonary	7	10.6
E960-E978	Homicide	22	39.1	580-589	Nephritis, etc	13	19.7
Residual	All Other Causes	182	323.3	Residual	All Other Causes	122	184.6

1/ Rate per 100,000 population in specified group.

Table 22.--PRINCIPAL CAUSES OF DEATH OF RESIDENTS BY AGE GROUP AND SEX WITH RATES: DISTRICT OF COLUMBIA, 1984-CONTINUED

ICD Code 9th Revision	Cause of death and age	Male		ICD Code 9th Revision	Cause of death and age	Female	
		Number	Rate 1/			Number	Rate 1/
	65 years and over				65 years and over		
	Total.....	1,777	6,415.2		Total.....	2,184	4,617.3
390-398,402,404-429	Diseases Of Heart.....	688	2,483.8	390-398,402,404-429	Diseases of Heart.....	877	1,854.1
140-208	Cancer, etc.....	479	1,729.2	140-208	Cancer, etc.....	434	917.5
430-438	Cerebrovascular Disease.....	110	397.1	430-438	Cerebrovascular Disease.....	208	439.7
490-496	Chronic Obstructive Pulmonary,etc	73	263.5	480-487	Pneumonia and Influenza.....	65	137.4
480-487	Pneumonia and Influenza.....	50	180.5	440	Atherosclerosis.....	52	109.9
440	Atherosclerosis.....	21	75.8	250	Diabetes Mellitus.....	59	124.7
580-589	Nephritis, etc.....	26	93.9	580-589	Nephritis, etc.....	45	95.1
E800-E949	Accidents.....	33	119.1	038	Septicemia.....	48	101.5
250	Diabetes Mellitus.....	22	79.4	490-496	Chronic Obstructive Pulmonary..	51	107.8
038	Septicemia.....	33	119.1	E800-E949	Accidents.....	23	48.6
Residual	All Other Causes.....	242	873.6	Residual	All Other Causes.....	322	680.8

1/Rate per 100,000 population in specified group.

Table 23.--NUMBER OF RESIDENT DEATHS AND CRUDE AND AGE-ADJUSTED DEATH RATES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1984

Age (in years)	Total			Black			White		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
NUMBER									
TOTAL	6,683	3,531	3,152	4,883	2,724	2,159	1,800	807	993
Under 5	222	139	83	207	130	77	15	9	6
5-14	26	11	15	24	9	15	2	2	-
15-24	123	92	31	113	85	28	10	7	3
25-34	294	210	84	256	186	70	38	24	14
35-44	385	252	133	334	216	118	51	36	15
45-54	551	350	201	487	306	181	64	44	20
55-64	1,116	695	421	963	603	360	153	92	61
65 and over	3,961	1,777	2,184	2,495	1,185	1,310	1,466	592	874
Not stated	5	5	-	4	4	-	1	1	-
RATES									
AGE-ADJUSTED 1/	788.7	1024.8	597.7	867.4	1161.7	646.4	556.9	682.6	461.7
CRUDE 2/	1066.0	1216.3	936.4	1066.4	1286.7	876.9	1065.1	1026.7	1098.5
Under 5	627.1	776.5	474.3	692.3	860.9	520.3	272.7	321.4	222.2
5-14	36.8	30.8	43.0	38.7	28.8	48.7	23.3	44.4	-
15-24	112.2	177.6	53.6	134.0	207.8	64.5	39.5	64.2	20.8
25-34	227.6	347.1	122.3	270.0	472.1	149.6	88.4	113.7	63.9
35-44	454.5	623.8	300.2	591.2	840.5	383.1	180.9	244.9	111.1
45-54	935.5	1259.0	646.3	1091.9	1507.4	744.9	447.6	586.7	294.1
55-64	1757.5	2438.6	1202.9	2023.1	2857.8	1358.5	962.3	1243.7	717.6
65 and over	5281.3	6415.2	4617.3	5331.2	6583.3	4548.6	5198.6	6103.1	4724.3

1/ Based on age-specific death rates by 5 year age groups per 100,000 population in specified group. Computed by the direct method using as the standard population the age distribution of the total population of the United States as enumerated in 1940.

2/ Rates per 100,000 population.

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1984

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
Total All Causes																					
Total.....	6,683	202	20	12	14	42	81	118	176	172	213	228	323	486	630	654	815	759	710	1,023	5
Black Male.....	2,724	119	11	2	7	29	56	70	116	107	109	130	176	264	339	277	320	233	194	161	4
Female.....	2,159	70	7	9	6	11	17	32	38	39	79	80	101	160	200	230	281	251	226	322	-
White Male.....	807	8	1	1	1	2	5	12	12	18	18	11	33	38	54	90	104	134	112	152	1
Female.....	993	5	1	-	-	-	3	4	10	8	7	7	13	24	37	57	110	141	178	388	-
01 Shigellosis and Amebiasis 004,006																					
Total.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
02 Certain Other Intestinal Infections 007-009																					
Total.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis 010-018																					
Total.....	22	-	-	-	-	-	1	-	2	-	1	1	2	3	3	2	1	1	2	3	-
Black Male.....	14	-	-	-	-	-	1	-	1	-	-	1	2	1	2	2	1	-	2	1	-
Female.....	5	-	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	1	-	-	-
White Male.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1984-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
03 Tuberculosis of Respiratory System 010-012																					
Total	16	-	-	-	-	-	1	-	1	-	-	-	1	2	3	2	1	-	2	3	-
Black Male	11	-	-	-	-	-	1	-	-	-	-	-	1	1	2	2	1	-	2	1	-
Female	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
White Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
04 Other Tuberculosis 013-018																					
Total	6	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	1	-	-	-
Black Male	3	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
05 Whooping Cough 033																					
Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
06 Streptococcal Sore Throat, Scarlatina and Erysipelas 034,035																					
Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1984-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
07 Meningococcal Infection 036																					
Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
08 Septicemia 038																					
Total	106	1	-	-	-	-	-	1	1	1	1	2	3	7	8	15	9	19	16	22	-
Black Male	36	1	-	-	-	-	-	1	-	-	1	-	1	4	4	4	6	9	4	1	-
Female	44	-	-	-	-	-	-	-	1	1	-	2	1	3	3	7	3	5	5	13	-
White Male	11	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	-	2	2	1	-
Female	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	7	-
09 Acute Poliomyelitis 045																					
Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 Measles 055																					
Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1984-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
11 Viral Hepatitis 070																					
Total.....	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Black Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
White Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 Syphilis 090-097																					
Total.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
Black Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
White Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13 All Other Infections and Parasitic Diseases 001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139																					
Total.....	30	-	-	-	1	1	1	5	6	2	-	2	2	1	3	1	3	-	2	-	-
Black Male.....	16	-	-	-	-	1	1	1	3	1	-	1	1	1	2	1	2	-	1	-	-
Female.....	7	-	-	-	1	-	-	1	-	1	-	1	1	-	1	-	1	-	-	-	-
White Male.....	7	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1984-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
Cancer (including etc.) 140-208																					
Total	1,541	-	4	2	2	2	3	6	17	32	48	49	90	160	212	212	240	201	137	123	1
Black Male	664	-	2	-	2	1	3	2	7	15	17	25	43	79	128	93	104	63	52	28	-
Female	485	-	2	2	-	-	-	2	4	11	26	18	33	54	62	65	76	59	34	37	-
White Male	186	-	-	-	-	1	-	-	2	6	-	4	8	13	12	29	27	42	24	17	1
Female	206	-	-	-	-	-	-	2	4	-	5	2	6	14	10	25	33	37	27	41	-
14 Malignant Neoplasm of Lip, Oral Cavity and Pharynx 140-149																					
Total	55	-	-	-	-	-	1	1	-	5	1	1	6	9	9	6	7	6	2	1	-
Black Male	33	-	-	-	-	-	1	1	-	3	-	1	3	6	5	4	6	3	-	-	-
Female	13	-	-	-	-	-	-	-	-	1	1	-	3	1	3	2	-	1	1	-	-
White Male	6	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	2	1	1	-
Female	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
15 Malignant Neoplasm of Digestive Organs and Peritoneum 150-159																					
Total	454	-	1	-	1	-	-	3	3	4	12	14	26	38	65	74	71	63	45	34	-
Black Male	197	-	1	-	1	-	-	1	2	2	8	10	15	20	35	33	29	19	14	7	-
Female	149	-	-	-	-	-	-	1	1	1	4	3	7	13	24	24	23	24	12	12	-
White Male	57	-	-	-	-	-	-	-	-	1	-	-	4	3	5	11	11	13	4	5	-
Female	51	-	-	-	-	-	-	1	-	-	-	1	-	2	1	6	8	7	15	10	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1984-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
16 Malignant Neoplasm of Respiratory and Intrathoracic Organs 160-165																					
Total	365	-	-	-	-	-	-	-	1	4	10	16	21	48	71	53	58	40	23	20	-
Black Male	202	-	-	-	-	-	-	-	1	2	7	8	14	28	52	34	27	16	9	4	-
Female	75	-	-	-	-	-	-	-	-	1	3	5	5	11	15	7	16	4	4	4	-
White Male	52	-	-	-	-	-	-	-	-	1	-	3	2	4	3	6	8	13	8	4	-
Female	36	-	-	-	-	-	-	-	-	-	-	-	-	5	1	6	7	7	2	8	-
17 Malignant Neoplasm of Breast 174,175																					
Total	127	-	-	-	-	-	-	-	3	3	14	5	10	15	13	18	14	18	2	12	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	88	-	-	-	-	-	-	-	1	3	11	5	8	13	7	12	10	9	1	8	-
White Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Female	38	-	-	-	-	-	-	-	2	-	3	-	2	2	6	6	4	8	1	4	-
18 Malignant Neoplasm of Genital Organs 179-187																					
Total	177	-	-	-	-	-	-	1	1	4	4	1	4	8	13	28	31	36	29	16	1
Black Male	96	-	-	-	-	-	-	-	-	2	-	1	-	3	9	13	23	15	19	11	-
Female	40	-	-	-	-	-	-	-	1	2	3	-	3	3	3	5	5	9	6	-	-
White Male	19	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	1	5	4	2	1
Female	22	-	-	-	-	-	-	1	-	-	1	-	1	2	-	5	2	7	-	3	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1984-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
19 Malignant Neoplasm of Urinary Organs 188,189																					
Total.....	52	-	-	1	-	-	-	-	-	1	-	-	1	5	8	7	9	7	6	7	-
Black Male.....	15	-	-	-	-	-	-	-	-	-	-	-	-	4	4	1	3	1	2	-	-
Female.....	16	-	-	1	-	-	-	-	-	1	-	-	-	1	3	3	2	-	2	3	-
White Male.....	13	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	2	4	2	1	-
Female.....	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	3	-
20 Malignant Neoplasm of All Other and Unspecified Sites 170-173,190-199																					
Total.....	192	-	2	-	1	2	2	1	5	6	6	8	13	27	28	12	32	16	16	15	-
Black Male.....	84	-	1	-	1	1	2	-	2	3	2	4	8	12	21	4	9	7	4	3	-
Female.....	57	-	1	-	-	-	-	1	1	-	3	3	3	10	6	4	14	3	5	3	-
White Male.....	23	-	-	-	-	1	-	-	1	3	-	-	-	4	1	3	3	3	2	2	-
Female.....	28	-	-	-	-	-	-	-	1	-	1	1	2	1	-	1	6	3	5	7	-
21 Leukemia 204-208																					
Total.....	55	-	1	1	-	-	-	-	3	3	1	2	2	5	2	5	8	3	7	12	-
Black Male.....	17	-	-	-	-	-	-	-	1	2	-	1	-	3	-	-	4	-	3	3	-
Female.....	18	-	1	1	-	-	-	-	-	1	1	1	2	-	-	3	2	1	1	4	-
White Male.....	10	-	-	-	-	-	-	-	1	-	-	-	-	1	2	1	1	1	2	1	-
Female.....	10	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	1	1	4	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1984-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
22 Other Malignant Neoplasm of Lymphatic and Hematopoietic Tissue 200-203																					
Total.....	64	-	-	-	-	-	-	-	1	2	-	2	7	5	3	9	10	12	7	6	-
Black Male.....	20	-	-	-	-	-	-	-	1	1	-	-	3	3	2	4	3	2	1	-	-
Female.....	29	-	-	-	-	-	-	-	-	1	-	1	2	2	1	5	4	8	2	3	-
White Male.....	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	1	-
Female.....	10	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	3	2	-
23 Benign Neoplasms, Carcinoma in Situ, Neoplasms Nec 210-239																					
Total.....	30	-	-	-	1	-	-	-	-	4	2	2	1	3	3	4	2	2	3	3	-
Black Male.....	10	-	-	-	-	-	-	-	-	3	1	1	1	2	1	1	-	-	-	-	-
Female.....	13	-	-	-	1	-	-	-	-	-	-	1	-	1	2	2	2	2	1	1	-
White Male.....	5	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	2	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
24 Diabetes Mellitus 250																					
Total.....	102	-	-	-	-	-	-	-	-	-	2	1	4	10	4	17	16	16	21	11	-
Black Male.....	27	-	-	-	-	-	-	-	-	-	2	1	2	3	-	4	4	7	3	1	-
Female.....	56	-	-	-	-	-	-	-	-	-	-	-	2	7	4	12	7	7	12	5	-
White Male.....	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-
Female.....	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	5	5	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1984-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
25 Nutritional Deficiencies 260-269																					
Total	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	3	2	-	-
Black Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Female	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-
White Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
26 Anemias 280-285																					
Total	18	-	-	-	-	1	-	1	-	1	-	1	-	2	-	1	2	2	2	5	-
Black Male	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-
Female	8	-	-	-	-	1	-	1	-	1	-	1	-	1	-	-	1	-	1	1	-
White Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
Female	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-
27 Meningitis 320-322																					
Total	9	2	2	-	-	-	-	-	-	-	1	1	-	-	1	1	-	1	-	-	-
Black Male	5	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-
Female	4	1	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major Cardio-vascular Diseases 390-448																					
Total	2,747	2	1	2	1	2	2	6	22	19	51	80	112	174	266	275	378	364	368	621	1
Black Male	945	2	-	-	-	1	-	4	16	11	25	48	69	96	134	117	136	102	94	89	1
Female	905	-	1	2	1	1	2	1	3	4	22	29	32	57	88	99	133	124	122	184	-
White Male	367	-	-	-	-	-	-	-	1	2	4	1	10	15	30	39	53	68	53	91	-
Female	530	-	-	-	-	-	-	1	2	2	-	2	1	6	14	20	56	70	99	257	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1984-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
Diseases of Heart 390-398,402,404-429																					
Total	2,188	2	-	2	1	2	2	4	18	18	41	63	93	150	226	241	316	289	271	448	1
Black Male	779	2	-	-	-	1	-	3	13	11	20	37	54	86	112	105	115	82	67	70	1
Female	727	-	-	2	1	1	2	1	2	3	18	23	29	48	77	85	110	92	95	138	-
White Male	302	-	-	-	-	-	-	-	1	2	3	1	9	11	26	34	47	57	43	68	-
Female	380	-	-	-	-	-	-	-	2	2	-	2	1	5	11	17	44	58	66	172	-
28 Rheumatic Fever and Rheumatic Heart Disease 390-398																					
Total	6	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	1	-	1	1	-
Black Male	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
29 Hypertensive Heart Disease 402																					
Total	219	-	-	-	-	-	-	-	-	4	4	13	21	26	33	31	30	19	19	19	-
Black Male	87	-	-	-	-	-	-	-	-	1	3	6	12	12	17	12	9	6	6	3	-
Female	91	-	-	-	-	-	-	-	-	2	1	7	8	9	11	15	16	8	6	8	-
White Male	17	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	5	3	1	1	-
Female	24	-	-	-	-	-	-	-	-	1	-	-	-	3	3	2	-	2	6	7	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1984-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
30 Hypertensive Heart and Renal Disease 404																					
Total	14	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	4	1	7	-
Black Male	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-
Female	5	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	2	-
White Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Female	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-
Ischemic Heart Disease 410-414																					
Total	805	-	-	-	-	-	-	-	5	3	12	18	32	35	73	80	109	107	125	206	-
Black Male	229	-	-	-	-	-	-	-	3	1	6	10	18	18	32	31	39	26	22	23	-
Female	244	-	-	-	-	-	-	-	-	-	5	6	10	11	23	29	36	27	42	55	-
White Male	150	-	-	-	-	-	-	-	-	1	1	1	4	4	16	18	21	24	23	37	-
Female	182	-	-	-	-	-	-	-	2	1	-	1	-	2	2	2	13	30	38	91	-
31 Acute Myocardial Infarction 410																					
Total	427	-	-	-	-	-	-	-	3	2	6	10	16	21	48	49	59	64	67	82	-
Black Male	132	-	-	-	-	-	-	-	2	-	3	5	11	13	23	19	20	13	14	9	-
Female	136	-	-	-	-	-	-	-	-	-	2	3	4	7	15	19	20	17	27	22	-
White Male	77	-	-	-	-	-	-	-	-	1	1	1	1	1	9	10	14	15	10	14	-
Female	82	-	-	-	-	-	-	-	1	1	-	1	-	-	1	1	5	19	16	37	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1984-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
32 Other Acute and Subacute Forms of Ischemic Heart Disease 411																					
Total	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-
Black Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-
33 Angina Pectoris 413																					
Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34 Old Myocardial Infarction and Other Forms of Chronic Ischemic Heart Disease 412,414																					
Total	374	-	-	-	-	-	-	-	2	1	6	8	16	14	25	31	47	43	57	124	-
Black Male	96	-	-	-	-	-	-	-	1	1	3	5	7	5	9	12	18	13	8	14	-
Female	108	-	-	-	-	-	-	-	-	-	3	3	6	4	8	10	16	10	15	33	-
White Male	73	-	-	-	-	-	-	-	-	-	-	-	3	3	7	8	7	9	13	23	-
Female	97	-	-	-	-	-	-	-	1	-	-	-	-	2	1	1	6	11	21	54	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1984-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
35 Other Diseases of Endocardium 424																					
Total	26	-	-	-	-	-	-	1	-	-	3	1	3	-	4	5	2	2	1	4	-
Black Male	9	-	-	-	-	-	-	1	-	-	1	-	1	-	1	3	-	-	1	1	-
Female	6	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	2	-	-	-	-
White Male	4	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-
Female	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	3	-
36 All Other Forms of Heart Disease 415-423,425-429																					
Total	1,118	2	-	2	-	1	2	3	13	10	22	30	37	89	115	125	174	157	124	211	1
Black Male	449	2	-	-	-	1	-	2	10	8	10	21	23	56	62	59	67	47	38	42	1
Female	378	-	-	2	-	-	2	1	2	1	10	8	11	28	42	40	55	56	47	73	-
White Male	130	-	-	-	-	-	-	-	1	1	2	-	2	5	7	13	21	30	19	29	-
Female	161	-	-	-	-	-	-	-	-	-	-	1	1	-	4	13	31	24	20	67	-
37 Hypertension With or Without Renal Disease 401,403																					
Total	26	-	-	-	-	-	-	-	-	-	1	2	1	1	4	1	3	4	3	6	-
Black Male	6	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	1	1	-
Female	15	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	1	4	2	2	-
White Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1984-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
Cerebrovascular Disease 430-438																					
Total.....	410	-	1	-	-	-	-	-	4	1	9	14	16	21	26	26	46	54	77	115	-
Black Male.....	128	-	-	-	-	-	-	-	3	-	4	9	13	10	16	10	14	14	22	13	-
Female.....	129	-	1	-	-	-	-	-	1	1	4	5	2	8	5	10	20	23	21	28	-
White Male.....	43	-	-	-	-	-	-	-	-	-	1	-	1	2	2	3	3	7	6	18	-
Female.....	110	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	9	10	28	56	-
38 Intracerebral and other Intracranial Hemorrhage 431-432																					
Total.....	84	-	1	-	-	-	-	-	4	1	3	5	9	4	12	7	9	7	12	10	-
Black Male.....	38	-	-	-	-	-	-	-	3	-	2	3	7	3	6	4	-	1	5	4	-
Female.....	27	-	1	-	-	-	-	-	1	1	-	2	1	1	4	2	4	5	3	2	-
White Male.....	7	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	2	-	1	1	-
Female.....	12	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	1	3	3	-
39 Cerebral Thrombosis and Unspecified Occlusion of Cerebral Arteries 434.0,434.9																					
Total.....	69	-	-	-	-	-	-	-	-	-	1	2	1	4	2	7	4	10	16	22	-
Black Male.....	18	-	-	-	-	-	-	-	-	-	-	2	1	3	1	2	1	3	3	2	-
Female.....	22	-	-	-	-	-	-	-	-	-	1	-	-	1	-	3	2	4	5	6	-
White Male.....	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	3	-
Female.....	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	5	11	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1984-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
40 Cerebral Embolism 434.1																					
Total	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
41 All Other & Late Effects of Cerebrovascular Disease 430,433,435-438																					
Total	256	-	-	-	-	-	-	-	-	-	5	7	6	13	12	12	33	37	48	83	-
Black Male	72	-	-	-	-	-	-	-	-	-	2	4	5	4	9	4	13	10	14	7	-
Female	80	-	-	-	-	-	-	-	-	-	3	3	1	6	1	5	14	14	13	20	-
White Male	28	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	6	2	14	-
Female	76	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	5	7	19	42	-
42 Atherosclerosis 440																					
Total	77	-	-	-	-	-	-	-	-	-	-	1	-	-	3	2	7	7	15	42	-
Black Male	13	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	3	3	2	-
Female	21	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	4	12	-
White Male	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	3	3	-
Female	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	25	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1984-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
43 Other Diseases of Arteries, Arterioles and Capillaries 441-448																					
Total	46	-	-	-	-	-	-	2	-	-	-	-	2	2	7	5	6	10	2	10	-
Black Male	19	-	-	-	-	-	-	1	-	-	-	-	2	-	4	1	4	3	1	3	-
Female	13	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	4	-	4	-
White Male	9	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	1	2	-
Female	5	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	1	-	1	-
44 Acute Bronchitis and Bronchiolitis 466																					
Total	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and Influenza 480-487																					
Total	178	3	-	2	-	-	1	3	1	10	9	5	8	11	10	11	18	15	23	48	-
Black Male	66	1	-	-	-	-	-	-	-	5	3	4	4	6	6	6	9	6	4	12	-
Female	71	1	-	2	-	-	1	2	1	5	5	1	2	5	2	5	6	6	11	16	-
White Male	19	1	-	-	-	-	-	1	-	-	1	-	2	-	1	-	2	2	3	6	-
Female	22	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	5	14	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1984-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
45 Pneumonia 480-486																					
Total	175	3	-	2	-	-	1	3	1	10	9	5	8	10	10	11	18	15	22	47	-
Black Male	66	1	-	-	-	-	-	-	-	5	3	4	4	6	6	6	9	6	4	12	-
Female	70	1	-	2	-	-	1	2	1	5	5	1	2	4	2	5	6	6	11	16	-
White Male	18	1	-	-	-	-	-	1	-	-	1	-	2	-	1	-	2	2	2	6	-
Female	21	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	5	13	-
46 Influenza 487																					
Total	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
White Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Chronic Obstructive Pulmonary Disease etc. 490-496																					
Total	154	1	-	-	1	-	-	1	2	2	2	2	2	8	9	21	24	31	27	21	-
Black Male	56	1	-	-	-	-	-	1	-	-	-	1	1	5	2	9	10	11	10	5	-
Female	31	-	-	-	1	-	-	-	2	2	1	1	1	1	1	2	4	5	4	6	-
White Male	33	-	-	-	-	-	-	-	-	-	-	-	-	2	3	6	6	7	7	2	-
Female	34	-	-	-	-	-	-	-	-	-	1	-	-	-	3	4	4	8	6	8	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1984-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
47 Bronchitis, Chronic and Un-Specified 490-491																					
Total	5	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-
Black Male	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
48 Emphysema 492																					
Total	29	-	-	-	-	-	-	-	-	-	-	1	-	-	2	4	6	6	5	5	-
Black Male	11	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	3	2	1	2	-
Female	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-
White Male	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-
Female	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	2	2	-
49 Asthma 493																					
Total	13	-	-	-	1	-	-	1	1	1	2	1	-	1	1	-	1	1	2	-	-
Black Male	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Female	9	-	-	-	1	-	-	-	1	1	1	1	-	1	-	-	1	1	1	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1984-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
50 Other Chronic Obstructive Pulmonary Disease and Allied Conditions 494-496																					
Total.....	107	-	-	-	-	-	-	-	1	1	-	-	2	7	5	17	17	23	19	15	-
Black Male.....	40	-	-	-	-	-	-	-	-	-	-	-	1	5	1	8	7	8	7	3	-
Female.....	18	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	2	4	3	5	-
White Male.....	28	-	-	-	-	-	-	-	-	-	-	-	-	2	3	6	4	6	5	2	-
Female.....	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	5	4	5	-
51 Ulcer of Stomach and Duodenum 531-533																					
Total.....	11	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	1	1	2	3	-
Black Male.....	5	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-
52 Appendicitis 540-543																					
Total.....	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
Black Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
White Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1984-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
53 Hernia of Abdominal Cavity and Intestinal Obstruction without Mention of Hernia 550-553,560																					
Total.....	25	-	-	-	-	-	-	-	1	-	-	1	-	1	-	2	3	4	8	5	-
Black Male.....	10	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	2	3	2	-
Female.....	9	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	1	3	1	-
White Male.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-
54 Chronic Liver Disease and Cirrhosis 571																					
Total.....	165	-	-	-	-	-	1	1	4	13	24	19	26	17	16	19	9	8	8	-	-
Black Male.....	79	-	-	-	-	-	1	-	3	8	12	10	13	7	10	10	4	1	-	-	-
Female.....	53	-	-	-	-	-	-	1	1	3	9	6	6	6	5	5	2	5	4	-	-
White Male.....	20	-	-	-	-	-	-	-	-	1	3	2	5	2	-	2	2	1	2	-	-
Female.....	13	-	-	-	-	-	-	-	-	1	-	1	2	2	1	2	1	1	2	-	-
55 Cholelithiasis and other Disorders of Gallbladder 574-575																					
Total.....	10	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	3	1	-	3	1
Black Male.....	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1
Female.....	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
White Male.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-

Table 24.—DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1984-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
Nephritis, Nephrotic Syndrome and Nephrosis 580-589																					
Total	107	-	-	-	-	-	-	1	1	2	3	4	4	11	10	10	21	13	11	16	-
Black Male	40	-	-	-	-	-	-	1	-	1	2	3	1	7	4	3	8	5	1	4	-
Female	53	-	-	-	-	-	-	-	1	-	1	1	3	3	6	7	11	5	8	7	-
White Male	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	-	1	-
Female	8	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	2	4	-
56 Acute Glomeruloneph-ritis and Nephrotic Syndrome 580-581																					
Total	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Black Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
57 Chron Glom-eruloneph, Neph and Nephropathy, Nos, and Renal Sclerosis, un-spec. 582-583,587																					
Total	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-
Black Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1984-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
58 Renal Fail, Disorders from Impaired Renal FCN and Small Kidney of unknown cause 584-586,588-589																					
Total	101	-	-	-	-	-	-	1	1	2	3	4	4	11	9	9	18	12	11	16	-
Black Male	36	-	-	-	-	-	-	1	-	1	2	3	1	7	3	3	6	4	1	4	-
Female	51	-	-	-	-	-	-	-	1	-	1	1	3	3	6	6	10	5	8	7	-
White Male	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	-	1	-
Female	8	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	2	4	-
59 Infections of Kidney 590																					
Total	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
60 Hyperplasia of Prostate 600																					
Total	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Complications of Pregnancy Childbirth, and the Puerperium 630-676																					
Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 24.—DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1984-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
61 Pregnancy with Abortive Outcome 630-638																					
Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
62 Other Complications of Pregnancy, Childbirth & the Puerperium 640-676																					
Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63 Congenital Anomalies 740-759																					
Total	38	28	1	-	1	-	-	2	1	-	1	-	-	-	-	1	1	-	-	2	-
Black Male	20	16	-	-	-	-	-	1	1	-	1	-	-	-	-	1	-	-	-	-	-
Female	12	10	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Female	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1984-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
Certain Perinatal Conditions 760-779																					
Total	133	132	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	79	78	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	45	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
64 Birth Trauma, Intrauterine Hypexia, Birth Asphyxia and RDS 767-769																					
Total	46	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 Other Conditions Originating in the Perinatal Period 760-766,770-779																					
Total	90	89	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	55	54	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1984-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
66 Symptoms, Signs and Ill-Defined Conditions 780-799																					
Total	60	20	-	-	-	-	1	4	4	1	3	1	2	4	6	2	5	2	3	2	-
Black Male	28	11	-	-	-	-	1	2	2	1	2	-	1	3	2	1	-	1	-	1	-
Female	24	9	-	-	-	-	-	1	1	-	1	1	-	1	3	1	3	-	2	1	-
White Male	3	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	-
67 All Other Diseases Residual																					
Total	646	3	1	-	-	2	3	18	38	35	31	24	42	42	57	50	62	57	63	116	2
Black Male	273	2	1	-	-	1	2	12	24	27	15	14	24	26	28	19	25	19	17	15	2
Female	220	1	-	-	-	1	-	5	9	3	9	8	16	13	21	23	26	20	19	46	-
White Male	72	-	-	-	-	-	-	1	3	2	7	1	1	3	3	5	6	8	11	21	-
Female	81	-	-	-	-	-	1	-	2	3	-	1	1	-	5	3	5	10	16	34	-
Accidents and Adverse Effects 800-949																					
Total	247	5	7	4	5	12	16	27	30	20	17	13	12	14	9	6	12	14	9	15	-
Black Male	156	3	4	1	5	8	11	18	23	15	14	10	8	9	9	4	9	3	1	1	-
Female	47	2	1	2	-	4	4	6	6	2	2	3	2	3	-	-	-	7	-	3	-
White Male	26	-	1	1	-	-	-	3	1	2	1	-	1	1	-	2	2	1	3	7	-
Female	18	-	1	-	-	-	1	-	-	1	-	-	1	1	-	-	1	3	5	4	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1984-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
68 Motor Vehicle Accidents 810-825																					
Total	78	3	1	2	2	8	11	8	5	5	4	3	4	4	1	4	4	5	2	2	-
Black Male	48	1	-	-	2	5	8	7	4	4	2	2	2	2	1	3	3	1	1	-	-
Female	20	2	1	2	-	3	2	1	1	-	1	1	1	1	-	-	-	3	-	1	-
White Male	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	1	-
Female	5	-	-	-	-	-	1	-	-	1	-	-	1	1	-	-	-	1	-	-	-
69 All Other Accidents and Adverse Effects 800-807,826-949																					
Total	169	2	6	2	3	4	5	19	25	15	13	10	8	10	8	2	8	9	7	13	-
Black Male	108	2	4	1	3	3	3	11	19	11	12	8	6	7	8	1	6	2	-	1	-
Female	27	-	-	-	-	1	2	5	5	2	1	2	1	2	-	-	-	4	-	2	-
White Male	21	-	1	1	-	-	-	3	1	2	-	-	1	1	-	1	1	1	2	6	-
Female	13	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	4	-
70 Suicide 950-959																					
Total	54	-	-	-	-	4	7	5	7	5	3	3	3	6	3	3	1	1	2	1	-
Black Male	23	-	-	-	-	4	2	2	5	3	2	-	-	3	-	1	-	1	-	-	-
Female	9	-	-	-	-	-	2	1	1	-	1	1	-	2	1	-	-	-	-	-	-
White Male	13	-	-	-	-	-	2	1	-	2	-	1	2	-	1	2	-	-	2	-	-
Female	9	-	-	-	-	-	1	1	1	-	-	1	1	1	1	-	1	-	-	1	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1984-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
71 Homicide and Legal Intervention 960-978																					
Total	170	-	3	2	2	18	37	30	24	15	9	12	5	6	5	1	1	-	-	-	-
Black Male	122	-	2	1	-	13	29	21	21	10	7	6	2	6	4	-	-	-	-	-	-
Female	34	-	1	1	2	4	6	7	2	3	1	5	1	-	-	-	1	-	-	-	-
White Male	12	-	-	-	-	1	2	2	-	2	-	1	2	-	1	1	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
72 All Other External Causes 980-999																					
Total	59	1	-	-	-	-	8	6	14	9	5	4	3	5	2	-	1	1	-	-	-
Black Male	39	1	-	-	-	-	5	4	9	6	4	3	2	4	1	-	-	-	-	-	-
Female	12	-	-	-	-	-	2	2	4	3	-	-	-	-	-	-	1	-	-	-	-
White Male	6	-	-	-	-	-	1	-	1	-	1	1	-	1	-	-	-	1	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-

Table 25a.--RESIDENT DEATHS FOR 20 LEADING CAUSES BY RACE AND WARD:
DISTRICT OF COLUMBIA, 1984

Rank	Cause of Death	Total	All Races								
			Ward								
			1	2	3	4	5	6	7	8	Unk.
	Total All Causes	6,683	828	918	857	1,057	1,013	782	750	465	13
01	Diseases of Heart (390-398,402,404-429)	2,188	276	283	342	353	346	239	214	130	5
02	Cancer (including etc.)(140-208)	1,541	192	209	184	262	247	172	187	86	2
03	Cerebrovascular Disease (430-438)	410	40	60	85	67	53	44	43	18	-
04	Accidents and Adverse Effects (800-949)	247	35	32	17	39	39	25	28	31	1
05	Pneumonia and Influenza (480-487)	178	23	27	16	19	26	25	21	20	1
06	Homicide and Legal Intervention (960-978)	170	22	31	3	17	15	32	23	26	1
07	Chronic Liver Disease and Cirrhosis (571)	165	22	30	12	19	28	21	19	12	2
08	Chronic Obstructive Pulmonary Disease, etc. (490-496)	154	11	26	29	37	12	13	15	11	-
09	Certain Perinatal Conditions (760-779)	136	16	16	2	13	21	23	23	22	-
10	Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	107	12	13	6	24	15	13	18	6	-
11	Septicemia (038)	106	10	17	15	13	14	19	11	7	-
12	Diabetes Mellitus (250)	102	11	16	13	11	16	17	12	6	-
13	Atherosclerosis (440)	77	4	12	26	13	7	8	7	-	-
14	Suicide (950-959)	54	8	9	9	9	3	7	5	4	-
15	Congenital Anomalies (740-759)	38	6	2	3	3	6	6	6	6	-
16	Benign Neoplasms, Carcinoma in Situ, Neoplasms Nec (210-239)	30	1	8	4	4	3	1	5	4	-
17	Hypertension with or without Renal Disease (401,403)	26	1	5	4	1	6	4	1	4	-
18	Hernia of Abdominal Cavity & Intestinal Obstruction without Mention of Hernia (550-553,560)	25	5	4	3	1	4	3	4	1	-
19	Tuberculosis (010-018)	22	6	5	1	1	2	3	3	1	-
20	Anemias (280-285)	18	1	2	4	1	2	4	1	3	-
21	Residual	889	126	111	79	150	148	103	104	67	1

Table 25b.--RESIDENT DEATHS FOR 20 LEADING CAUSES BY RACE AND WARD:
DISTRICT OF COLUMBIA, 1984 - CONTINUED

Rank	Cause of Death	Total	Black								
			Ward								
			1	2	3	4	5	6	7	8	Unk.
	Total All Causes	4,883	663	606	53	819	945	668	698	423	8
01	Diseases of Heart (390-398,402,404-429)	1,506	216	180	16	268	317	192	197	117	3
02	Cancer (including etc.)(140-208)	1,149	158	130	11	209	236	151	174	79	1
03	Cerebrovascular Disease (430-438)	257	31	40	2	48	44	38	37	17	-
04	Accidents and Adverse Effects (800-949)	203	26	27	2	32	37	23	27	28	1
05	Pneumonia and Influenza (480-487)	137	19	19	1	14	25	21	21	16	1
06	Homicide and Legal Intervention (960-978)	156	20	25	2	16	14	29	23	26	1
07	Chronic Liver Disease and Cirrhosis (571)	132	17	20	-	18	28	18	19	11	1
08	Chronic Obstructive Pulmonary Disease, etc. (490-496)	87	8	17	-	18	11	11	13	9	-
09	Certain Perinatal Conditions (760-779)	127	11	14	1	13	20	23	23	22	-
10	Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	93	11	10	2	20	15	11	18	6	-
11	Septicemia (038)	80	10	15	2	9	14	15	10	5	-
12	Diabetes Mellitus (250)	83	10	15	3	10	15	14	10	6	-
13	Atherosclerosis (440)	34	1	6	2	8	7	7	3	-	-
14	Suicide (950-959)	32	5	2	2	8	2	5	5	3	-
15	Congenital Anomalies (740-759)	32	5	2	-	2	6	5	6	6	-
16	Benign Neoplasms, Carcinoma in Situ, Neoplasms Nec (210-239)	23	1	5	1	4	3	1	5	3	-
17	Hypertension with or without Renal Disease (401,403)	21	-	5	-	1	6	4	1	4	-
18	Hernia of Abdominal Cavity & Intestinal Obstruction without Mention of Hernia (550-553,560)	19	4	3	-	1	3	3	4	1	-
19	Tuberculosis (010-018)	19	6	4	1	-	2	3	2	1	-
20	Anemias (280-285)	12	1	2	-	1	1	3	1	3	-
21	Residual	681	103	65	5	119	139	91	99	60	-

Table 25c.--RESIDENT DEATHS FOR 20 LEADING CAUSES BY RACE AND WARD:
DISTRICT OF COLUMBIA, 1984 - CONTINUED

Rank	Cause of Death	Total	White								
			Ward								
			1	2	3	4	5	6	7	8	Unk.
	Total All Causes	1,800	165	312	804	238	68	114	52	42	5
01	Diseases of Heart (390-398,402,404-429)	682	60	103	326	85	29	47	17	13	2
02	Cancer (including etc.)(140-208)	392	34	79	173	53	11	21	13	7	1
03	Cerebrovascular Disease (430-438)	153	9	20	83	19	9	6	6	1	-
04	Accidents and Adverse Effects (800-949)	44	9	5	15	7	2	2	1	3	-
05	Pneumonia and Influenza (480-487)	41	4	8	15	5	1	4	-	4	-
06	Homicide and Legal Intervention (960-978)	14	2	6	1	1	1	3	-	-	-
07	Chronic Liver Disease and Cirrhosis (571)	33	5	10	12	1	-	3	-	1	1
08	Chronic Obstructive Pulmonary Disease, etc. (490-496)	67	3	9	29	19	1	2	2	2	-
09	Certain Perinatal Conditions (760-779)	9	5	2	1	-	1	-	-	-	-
10	Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	14	1	3	4	4	-	2	-	-	-
11	Septicemia (038)	26	-	2	13	4	-	4	1	2	-
12	Diabetes Mellitus (250)	19	1	1	10	1	1	3	2	-	-
13	Atherosclerosis (440)	43	3	6	24	5	-	1	4	-	-
14	Suicide (950-959)	22	3	7	7	1	1	2	-	1	-
15	Congenital Anomalies (740-759)	6	1	-	3	1	-	1	-	-	-
16	Benign Neoplasms, Carcinoma in Situ, Neoplasms Nec (210-239)	7	-	3	3	-	-	-	-	1	-
17	Hypertension with or without Renal Disease (401,403).	5	1	-	4	-	-	-	-	-	-
18	Hernia of Abdominal Cavity & Intestinal Obstruction without Mention of Hernia (550-553,560)	6	1	1	3	-	1	-	-	-	-
19	Tuberculosis (010-018)	3	-	1	-	1	-	-	1	-	-
20	Anemias (280-285)	6	-	-	4	-	1	1	-	-	-
21	Residual	208	23	46	74	31	9	12	5	7	1

Table 26.--RESIDENT INFANT DEATHS BY CAUSE AND AGE:
DISTRICT OF COLUMBIA, 1984

	Cause of Death	Total	Less than one day	1-6 days	7-27 days	28 days - 5 months	6-11 months
	Total	202	96	34	24	40	8
01	Certain Intestinal Infections	-	-	-	-	-	-
02	Whooping Cough	-	-	-	-	-	-
03	Meningococcal Infection	-	-	-	-	-	-
04	Septicemia	1	-	-	-	1	-
05	Viral Diseases	-	-	-	-	-	-
06	Congenital Syphilis	-	-	-	-	-	-
07	Remainder of Infections and Parasitic Diseases	-	-	-	-	-	-
08	Malignant Neoplasms, Including Neoplasm of Lymphatic & Hematopoietic Tissues	-	-	-	-	-	-
09	Benign Neoplasms, Carcinoma in Situ, and Neoplasms Nec	-	-	-	-	-	-
10	Diseases of Thymus Gland	-	-	-	-	-	-
11	Cystic Fibrosis	-	-	-	-	-	-
12	Diseases of Blood and Blood-Forming Organs	-	-	-	-	-	-
13	Meningitis	2	-	-	1	1	-
14	Other Diseases of Nervous System and Sense Organs	-	-	-	-	-	-
15	Acute Upper Respiratory Infections	-	-	-	-	-	-
16	Bronchitis and Bronchiolitis	2	-	-	-	-	2
	Pneumonia and Influenza	3	-	-	-	2	1
17	Pneumonia	3	-	-	-	2	1
18	Influenza	-	-	-	-	-	-
19	Remainder of Diseases of Respiratory System	-	-	-	-	-	-
20	Hernia of Abdominal Cavity & Intestinal Obstruction Without Mention of Hernia	-	-	-	-	-	-
21	Gastritis, Duodenitis, & Noninfective Enteritis & Colitis	2	-	-	-	2	-
22	Remainder of Diseases of Digestive System	-	-	-	-	-	-
	Congenital Anomalies	28	7	6	8	6	1
23	Anencephalus and Similar Anomalies	2	2	-	-	-	-

Table 26.--RESIDENT INFANT DEATHS BY CAUSE AND AGE:
DISTRICT OF COLUMBIA, 1984-CONTINUED

	Cause of Death	Total	Less than one day	1-6 days	7-27 days	28 days - 5 months	6-11 months
24	Spina Bifida	-	-	-	-	-	-
25	Congenital Hydrocephalus	1	-	-	-	1	-
26	Other Congenital Anomalies of Central Nervous System and Eye	1	-	1	-	-	-
27	Congenital Anomalies of Heart	11	1	3	2	4	1
28	Other Congenital Anomalies of Circulatory System	4	-	-	3	1	-
29	Congenital Anomalies of Respiratory System	1	1	-	-	-	-
30	Congenital Anomalies of Digestive System	-	-	-	-	-	-
31	Congenital Anomalies of Genitourinary System	-	-	-	-	-	-
32	Congenital Anomalies of Musculoskeletal System	2	-	1	1	-	-
33	Downs Syndrome	1	-	1	-	-	-
34	Other Chromosomal Anomalies	1	-	-	1	-	-
35	All Other and Unspecified Congenital Anomalies	4	3	-	1	-	-
	Certain Conditions Originating in the Perinatal Period	135	88	28	12	6	1
36	Newborn Affected by Maternal Conditions Which May be Unrelated to Present Pregnancy	-	-	-	-	-	-
37	Newborn Affected by Maternal Complications of Pregnancy	5	4	1	-	-	-
38	Newborn Affected by Complications of Placenta, Cord and Membranes	2	2	-	-	-	-
39	Newborn Affected by Other Complications of Labor and Delivery	-	-	-	-	-	-
40	Slow Fetal Growth and Fetal Malnutrition	-	-	-	-	-	-
41	Disorders Relating to Short Gestation and Unspecified Low Birth Weight	46	40	5	1	-	-
42	Disorders Relating to Long Gestation and High Birth Weight	-	-	-	-	-	-
43	Birth Trauma	-	-	-	-	-	-
	Intrauterine Hypoxia and Birth Asphyxia	11	7	3	1	-	-
44	Fetal Distress in Liveborn Infant	2	1	-	1	-	-
45	Birth Asphyxia	9	6	3	-	-	-
46	Respiratory Distress Syndrome	35	14	12	6	2	1
47	Other Respiratory Conditions of Newborn	24	13	4	3	4	-

Table 26.--RESIDENT INFANT DEATHS BY CAUSE AND AGE:
DISTRICT OF COLUMBIA, 1984-CONTINUED

	Cause of Death	Total	Less than One Day	1-6 Days	7-27 Days	28 Days - 5 months	6-11 months
48	Infections Specific to the Perinatal Period.....	1	1	-	-	-	-
49	Neonatal Hemorrhage.....	2	-	2	-	-	-
50	Hemolytic Disease of Newborn, Due to Isoimmu., & Other Perinatal Jaundice.....	-	-	-	-	-	-
51	Syndrome of 'Infant of a Diabetic Mother' and Neonatal Diabetes Mellitus.....	-	-	-	-	-	-
52	Hemorrhagic Disease of Newborn.....	-	-	-	-	-	-
53	All Other and Ill-Defined Conditions Originating in the Perinatal Period.....	9	7	1	1	-	-
	Symptoms, Signs and Ill-Defined Conditions.....	20	1	-	2	16	1
54	Sudden Infant Death Syndrome.....	18	-	-	1	16	1
55	Symptoms, Signs, and All Other Ill-Defined Conditions.....	2	1	-	1	-	-
	Accidents and Adverse Effects.....	5	-	-	1	2	2
56	Inhal and Ingest Food or Other OBJ Causing Obstr of Resp Tract or Suffocation.....	-	-	-	-	-	-
57	Accidental Mechanical Suffocation.....	2	-	-	-	1	1
58	Other Accidental Causes and Adverse Effects.....	3	-	-	1	1	1
	Homicide.....	-	-	-	-	-	-
59	Child Battering and Other Maltreatment.....	-	-	-	-	-	-
60	Other Homicide.....	-	-	-	-	-	-
61	All Other Causes.....	4	-	-	-	4	-

Table 27.--RESIDENT INFANT DEATHS BY CAUSE: DISTRICT OF COLUMBIA, 1982 - 1984

Cause of death	Total	1984	1983	1982
Total	565	202	173	190
Certain conditions originating in the perinatal period	376	135	113	128
Newborn affected by maternal complications of pregnancy	19	5	10	4
Newborn affected by complications of placenta, cord and membranes	9	2	2	5
Disorders relating to short gestation and unspecified low birth weight	132	46	41	45
Birth trauma	4	-	2	2
Fetal distress in liveborn infant	2	2	-	-
Birth asphyxia	26	9	3	14
Respiratory distress syndrome	73	35	18	20
Other respiratory conditions of newborn	68	24	21	23
Infections specific to the perinatal period	8	1	5	2
Neonatal hemorrhage	6	2	1	3
All other and ill-defined conditions originating in the perinatal period	29	9	10	10
Symptoms, signs and ill-defined conditions	60	20	25	15
Sudden infant death syndrome	56	18	23	15
Symptoms, signs, and all other ill-defined conditions	4	2	2	-
Congenital anomalies	77	28	22	27
Anencephalus and similar anomalies	5	2	1	2
Congenital hydrocephalus	2	1	-	1
Other congenital anomalies of central nervous system and eye	2	1	-	1
Congenital anomalies of heart	23	11	5	7
Other congenital anomalies of circulatory system	8	4	3	1
Congenital anomalies of respiratory system	9	1	2	6
Congenital anomalies of digestive system	3	-	2	1
Congenital anomalies of genitourinary system	1	-	-	1
Congenital anomalies of musculoskeletal system	3	2	1	-
Downs syndrome	1	1	-	-
Other chromosomal anomalies	7	1	3	3
All other and unspecified congenital anomalies	13	4	5	4

Table 27.--RESIDENT INFANT DEATHS BY CAUSE: DISTRICT OF COLUMBIA, 1982 - 1984 - CONTINUED

Cause of death	Total	1984	1983	1982
Accidents and adverse effects	7	5	-	2
Accidental mechanical suffocation	3	2	-	1
Other accidental causes and adverse effects	4	3	-	1
Homicide	4	-	2	2
Child battering and other maltreatment	3	-	2	1
Other homicide	1	-	-	1
Septicemia	3	1	-	2
Remainder of infections and parasitic diseases	3	-	1	2
Benign neoplasms, carcinoma in situ, and neoplasms nec	1	-	-	1
Diseases of blood and blood-forming organs	2	-	1	1
Meningitis	3	2	-	1
Other diseases of nervous system and sense organs	2	-	1	1
Bronchitis and bronchiolitis	5	2	1	2
Pneumonia	9	3	2	4
Remainder of diseases of respiratory system	1	-	1	-
Gastritis, duodenitis, & noninfective enteritis & colitis	3	2	1	-
Remainder of diseases of digestive system	1	-	-	1
All other causes	8	4	3	1

Table 28.--RESIDENT LIVE BIRTHS, OUT-OF-WEDLOCK BIRTHS, BIRTHS WITH NO PRENATAL CARE, IMMATURE BIRTHS, TOTAL DEATHS AND INFANT DEATHS BY CENSUS TRACT: DISTRICT OF COLUMBIA, 1984

Census Tract	Live Births	Out-of-Wedlock Births	Live Births with no Prenatal Care	Immature Births [1]	Deaths	
					All Ages	Under 1 Year of Age
Total.....	9,549	5,573	196	1,227	6,683	202
Residence Unknown.....	57	31	1	6	13	-
1.1.....	23	1	-	-	55	-
1.2.....	1	1	-	-	3	-
2.....	26	2	-	1	22	-
3.....	30	4	-	2	43	1
4.....	15	-	1	2	12	-
5.2.....	41	5	-	-	42	-
5.3.....	14	2	-	-	10	-
5.4.....	9	-	-	1	21	-
6.....	30	4	-	-	93	-
7.1.....	25	3	-	3	76	-
7.2.....	25	2	-	2	20	-
8.1.....	41	6	-	2	39	-
8.2.....	25	-	-	1	19	-
9.1.....	49	2	-	-	22	-
9.2.....	23	2	-	-	18	-
10.1.....	71	2	-	1	81	-
10.2.....	29	3	-	1	27	1
11.....	55	4	-	2	47	-
12.....	55	2	-	1	49	1
13.1.....	25	3	-	2	34	-
13.2.....	42	7	-	-	67	-
14.....	61	9	-	3	64	-
15.....	66	6	-	2	80	1
16.....	40	7	1	1	57	2
17.....	75	30	-	5	47	1
18.1.....	5	2	-	2	1	-
18.3.....	47	22	-	9	31	1
18.4.....	58	36	-	7	51	1

Table 28.--RESIDENT LIVE BIRTHS, OUT-OF-WEDLOCK BIRTHS, BIRTHS WITH NO PRENATAL CARE, IMMATURE BIRTHS, TOTAL DEATHS AND INFANT DEATHS BY CENSUS TRACT: DISTRICT OF COLUMBIA, 1984-CONTINUED

Census Tract	Live Births	Out-of-Wedlock Births	Live Births with no Prenatal Care	Immature Births 1/	Deaths	
					All Ages	Under 1 yea of Age
19.1.....	51	28	2	4	54	-
19.2.....	27	11	-	2	28	-
20.1.....	19	8	1	3	41	2
20.2.....	53	33	2	12	59	1
21.1.....	99	64	4	12	57	1
21.2.....	58	31	2	10	67	2
22.1.....	44	26	-	5	48	-
22.2.....	42	31	1	6	52	1
23.1.....	43	30	1	3	49	1
23.2.....	7	3	-	-	132	-
24.....	54	36	2	7	59	1
25.1.....	46	23	2	8	45	1
25.2.....	67	40	1	6	64	1
26.0.....	23	6	-	1	33	1
27.1.....	53	17	1	5	52	1
27.2.....	98	40	1	9	44	1
28.....	140	74	2	17	58	2
29.....	71	47	1	9	45	1
30.....	51	36	2	6	31	-
31	57	38	1	7	50	3
32.....	71	51	2	17	68	2
33.1.....	53	38	4	4	67	1
33.2.....	64	44	3	11	41	1
34.....	36	24	1	4	42	2
35.....	42	31	1	6	49	-
36.....	93	71	1	14	55	1
37.....	106	57	2	16	69	3
38.....	85	46	1	11	36	-
39.....	110	45	2	13	38	4
40.....	54	15	-	6	47	1
41.....	31	2	-	2	21	-

Table 28.--RESIDENT LIVE BIRTHS, OUT-OF-WEDLOCK BIRTHS, BIRTHS WITH NO PRENATAL CARE, IMMATURE BIRTHS, TOTAL DEATHS AND INFANT DEATHS BY CENSUS TRACT: DISTRICT OF COLUMBIA, 1984-CONTINUED

Census Tract	Live Births	Out-of-Wedlock Births	Live Births with no Prenatal Care	Immature Births 1/	Deaths	
					All Ages	Under 1 year of Age
42.1.....	64	31	-	6	32	2
42.2.....	41	11	-	4	20	1
43.....	58	36	-	5	38	1
44.....	46	30	4	8	26	1
45.....	31	25	1	7	18	2
46.....	96	70	4	14	63	6
47.....	93	68	1	9	88	2
48.1.....	52	42	2	6	52	2
48.2.....	71	40	1	11	48	-
49.1.....	49	28	3	12	30	3
49.2.....	23	12	-	-	41	1
50.....	85	49	2	13	89	1
51.....	15	6	1	-	28	-
52.1.....	43	18	-	2	37	-
52.2.....	25	6	-	4	3	1
53.1.....	62	24	-	2	39	1
53.2.....	2	2	-	-	9	-
54.1.....	12	4	-	-	8	-
54.2.....	1	1	-	1	1	-
55.1.....	18	5	1	3	35	1
55.2.....	15	2	-	1	4	-
56.....	18	2	-	1	49	1
57.1.....	9	1	-	1	12	-
57.2.....	3	2	-	-	1	-
58.....	18	10	2	1	26	1
59.....	18	12	-	4	29	-
60.1.....	24	6	-	1	9	-
60.2.....	24	21	-	8	3	-
61.....	15	4	-	-	10	-
62.3.....	8	5	1	1	3	-
62.4.....	1	-	-	-	-	-

Table 28.--RESIDENT LIVE BIRTHS, OUT-OF-WEDLOCK BIRTHS, BIRTHS WITH NO PRENATAL CARE, IMMATURE BIRTHS, TOTAL DEATHS AND INFANT DEATHS BY CENSUS TRACT: DISTRICT OF COLUMBIA, 1984-CONTINUED

Census Tract	Live Births	Out-of-Wedlock Births	Live Births with no Prenatal Care	Immature Births 1/	Deaths	
					All Ages	Under 1 year of Age
63.1.....	18	8	-	4	25	-
63.2.....	1	-	-	-	-	-
64.....	58	49	1	9	32	2
65.....	23	4	-	3	15	1
66.....	15	1	-	1	12	-
67.....	59	26	-	3	33	1
68.1	39	26	1	5	40	2
68.2.....	28	22	1	4	30	1
68.4.....	1	1	-	-	2	-
69.0.....	34	14	-	6	37	-
70.....	34	15	-	3	20	2
71.....	70	54	4	14	52	3
72.....	65	59	2	9	38	1
73.1.....	190	6	-	14	6	1
73.2.....	94	67	2	17	32	4
73.4.....	103	82	2	13	25	1
73.8.....	-	-	-	-	14	-
74.1.....	92	71	3	22	33	1
74.4.....	124	100	6	20	27	1
74.5.....	180	140	3	32	43	5
74.6.....	86	76	2	12	22	1
74.7.....	78	63	2	12	37	2
74.8.....	44	33	1	5	16	-
75.1.....	125	101	1	15	41	1
75.3.....	59	46	2	12	36	4
75.4.....	40	28	2	4	7	2
76.1.....	86	61	1	15	51	2
76.3.....	62	19	2	9	38	1
76.4.....	69	40	1	9	31	2
76.5.....	52	33	3	12	31	1
77.1.....	18	12	1	2	15	1
77.2.....	20	10	-	2	9	-

Table 28.--RESIDENT LIVE BIRTHS, OUT-OF-WEDLOCK BIRTHS, BIRTHS WITH NO PRENATAL CARE, IMMATURE BIRTHS, TOTAL DEATHS AND INFANT DEATHS BY CENSUS TRACT: DISTRICT OF COLUMBIA, 1984-CONTINUED

Census Tract	Live Births	Out-of-Wedlock Births	Live Births with no Prenatal Care	Immature Births 1/	Deaths	
					All Ages	Under 1 year of Age
77.3.....	146	110	3	20	60	5
77.7.....	72	41	-	11	45	3
77.8.....	61	44	1	6	21	1
78.3.....	96	77	3	21	68	2
78.4.....	61	52	3	11	50	3
78.5.....	109	75	2	22	79	6
78.7.....	53	38	1	11	25	2
78.8.....	95	73	6	13	40	2
79.1.....	85	67	1	18	56	2
79.3.....	24	12	1	4	22	2
80.1.....	55	35	3	13	60	-
80.2.....	58	36	1	9	35	2
81.....	53	19	1	5	27	1
82.....	18	7	-	3	15	-
83.3.....	7	5	-	-	4	-
83.4.....	28	12	1	1	24	-
83.5.....	1	-	-	-	10	-
83.6.....	31	19	-	3	19	-
84.2.....	33	24	1	1	50	1
84.3.....	7	3	-	-	8	-
84.4.....	46	37	3	11	37	-
85.....	66	44	5	5	48	1
86.1.....	1	1	-	-	2	-
86.2.....	2	2	1	-	18	-
87.1.....	50	35	-	13	43	1
87.2.....	44	34	1	3	34	-
88.2.....	84	65	2	12	73	3
88.3.....	29	23	-	3	10	-
88.4.....	60	44	3	7	41	1
89.3.....	69	49	1	17	38	4
89.4.....	56	48	2	14	59	1
89.5.....	1	1	-	-	1	-

Table 28.--RESIDENT LIVE BIRTHS, OUT-OF-WEDLOCK BIRTHS, BIRTHS WITH NO PRENATAL CARE, IMMATURE BIRTHS, TOTAL DEATHS AND INFANT DEATHS BY CENSUS TRACT: DISTRICT OF COLUMBIA, 1984-CONTINUED

Census Tract	Live Births	Out-of-Wedlock Births	Live Births with no Prenatal Care	Immature Births [1]	Deaths	
					All Ages	Under 1 year of Age
90.1.....	15	7	-	2	40	-
90.2.....	26	13	-	6	22	-
91.1.....	51	24	-	5	57	-
91.2.....	106	77	3	18	45	5
92.1.....	20	8	-	1	24	2
92.2.....	107	73	1	9	83	3
93.1.....	56	30	-	6	51	-
93.2.....	40	27	-	7	17	-
94.....	55	29	2	3	58	1
94.8.....	6	4	-	2	4	-
94.9.....	32	12	-	1	30	-
95.2.....	75	31	2	9	54	2
95.3.....	48	20	-	2	43	1
95.4.....	50	25	-	10	38	1
95.5.....	27	13	-	4	30	1
95.6.....	5	3	-	1	1	-
95.7.....	17	8	-	2	10	-
96.1.....	86	70	1	14	18	2
96.2.....	57	42	1	3	18	-
96.3.....	22	17	1	4	31	-
96.4.....	30	20	1	7	47	1
97.....	120	94	5	19	25	4
98.1.....	76	62	-	5	25	-
98.2.....	63	52	2	7	13	-
98.3.....	87	61	4	12	11	5
98.4.....	49	39	-	4	19	2
98.5.....	30	25	1	7	10	-
98.6.....	141	101	2	18	26	3
98.7.....	90	73	3	13	24	4
98.8.....	41	21	-	5	10	1
98.9.....	1	1	-	-	41	1
99.1.....	29	11	-	2	34	-

Table 28.--RESIDENT LIVE BIRTHS, OUT-OF-WEDLOCK BIRTHS, BIRTHS WITH NO PRENATAL CARE, IMMATURE BIRTHS, TOTAL DEATHS AND INFANT DEATHS BY CENSUS TRACT: DISTRICT OF COLUMBIA, 1984-CONTINUED

Census Tract	Live Births	Out-of-Wedlock Births	Live Births with no Prenatal Care	Immature Births 1/	Deaths	
					All Ages	Under 1 year of Age
99.2.....	43	23	-	3	28	-
99.3.....	50	40	1	6	39	-
99.4.....	114	90	5	22	18	-
99.5.....	67	42	2	5	26	2
99.6.....	46	28	1	11	22	2
99.7.....	52	41	-	10	23	2

1/With birth weight of 2,500 grams or less.

Table 29.—RECORDED DEATHS FROM ACCIDENTAL CAUSES BY AGE AND TYPE OF ACCIDENT: DISTRICT OF COLUMBIA, 1984

Type of Accident	Total	Age (in years)					
		Under 5	5-14	15-24	25-44	45-64	65 and Over
Total 1/	324	20	12	47	117	60	68
Work	12	-	-	-	8	2	2
Construction	6	-	-	-	3	1	2
Transportation and Public Utilities	2	-	-	-	2	-	-
Service	2	-	-	-	1	1	-
Government	2	-	-	-	2	-	-
Home	79	9	4	-	20	15	31
Poisonings (Gas excepted)	5	-	-	-	4	-	1
Falls	33	1	1	-	5	9	17
Fires	26	3	2	-	7	4	10
Drowning	4	1	-	-	1	2	-
Suffocation, Ingested Food or Object	3	1	-	-	1	-	1
Suffocation, Mechanical	4	3	1	-	-	-	-
Other and Unspecified Home Accidents	4	-	-	-	2	-	2
Motor Vehicle	106	7	5	32	28	19	15
Injury to Pedestrian	40	4	5	7	7	9	8
Collision with other Motor Vehicle	25	1	-	8	11	2	3
Collision with Fixed Object	10	-	-	2	5	1	2
Non-collision	13	-	-	6	4	3	-
Other and Unspecified Accidents	18	2	-	9	1	4	2

Table 29.--RECORDED DEATHS FROM ACCIDENTAL CAUSES BY AGE AND TYPE OF ACCIDENT: DISTRICT OF COLUMBIA, 1984-CONTINUED

Type of Accident	Total	Age (in years)					
		Under 5	5-14	15-24	25-44	45-64	65 and Over
Public Non-Motor Vehicle...	114	2	3	15	61	23	10
Other Road Vehicle-Not with Motor Vehicle.....	1	-	-	-	-	-	1
Water Transport.....	1	-	-	1	-	-	-
Air Transport.....	14	-	-	1	7	4	2
Fires.....	1	-	-	-	-	1	-
Drowning.....	14	2	2	6	3	1	-
Firearms.....	1	-	-	-	1	-	-
Other and Unspecified Public Accidents.....	82	-	1	7	50	17	7
Type of Accident Unknown...	13	2	-	-	-	1	10

1/Includes deaths occurring within the District of Columbia of residents and non-residents.

Table 30.--ESTIMATED POPULATION BY AGE, RACE, AND SEX:
DISTRICT OF COLUMBIA, JULY 1, 1984

Age (in years)	Total			Black			White		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total...	626,900	290,300	336,600	457,900	211,700	246,200	169,000	78,600	90,400
Under 5.....	35,400	17,900	17,500	29,900	15,100	14,800	5,500	2,800	2,700
5-9.....	32,900	16,600	16,300	28,900	14,500	14,400	4,000	2,100	1,900
10-14.....	37,700	19,100	18,600	33,100	16,700	16,400	4,600	2,400	2,200
15-19.....	45,300	22,600	22,700	37,800	18,700	19,100	7,500	3,900	3,600
20-24.....	64,300	29,200	35,100	46,500	22,200	24,300	17,800	7,000	10,800
25-29.....	68,400	31,100	37,300	45,800	20,700	25,100	22,600	10,400	12,200
30-34.....	60,800	29,400	31,400	40,400	18,700	21,700	20,400	10,700	9,700
35-39.....	47,100	22,200	24,900	30,700	13,900	16,800	16,400	8,300	8,100
40-44.....	37,600	18,200	19,400	25,800	11,800	14,000	11,800	6,400	5,400
45-49.....	29,300	14,100	15,200	21,900	10,200	11,700	7,400	3,900	3,500
50-54.....	29,600	13,700	15,900	22,700	10,100	12,600	6,900	3,600	3,300
55-59.....	31,900	14,400	17,500	24,200	10,700	13,500	7,700	3,700	4,000
60-64.....	31,600	14,100	17,500	23,400	10,400	13,000	8,200	3,700	4,500
65-and over..	75,000	27,700	47,300	46,800	18,000	28,800	28,200	9,700	18,500

Source: Office of Planning, Data Services Division, Demographic Unit.

Table 31.--MARRIAGES BY MONTH OF MARRIAGE: DISTRICT OF COLUMBIA, 1984

Marriage month	Number	Percent
Total.....	5,605	100.0
January.....	259	4.6
February.....	277	4.9
March.....	286	5.1
April.....	398	7.1
May.....	679	12.1
June.....	771	13.8
July.....	450	8.0
August.....	479	8.5
September.....	748	13.3
October.....	503	9.0
November.....	372	6.6
December.....	381	6.8
Unknown.....	2	0.0

Table 32.--MARRIAGES BY AGE OF GROOM BY AGE OF BRIDE:
DISTRICT OF COLUMBIA, 1984

Age of Groom (in years)	Total	Age of Bride (in years)							
		Less than 15	15-19	20-29	30-39	40-49	50-59	60-69	70 and over
Total.....	5,605	6	440	3,356	1,330	320	96	44	13
Less than 15.....	6	3	-	3	-	-	-	-	-
15-19.....	193	-	125	64	1	2	-	1	-
20-29.....	2,946	-	295	2,366	272	12	1	-	-
30-39.....	1,683	3	19	817	774	66	4	-	-
40-49.....	457	-	1	91	223	131	9	2	-
50-59.....	208	-	-	13	51	83	55	6	-
60-69.....	77	-	-	2	7	21	21	24	2
70 and over.....	35	-	-	-	2	5	6	11	11

Table 33.--MARRIAGES BY MARITAL STATUS OF GROOM BY MARITAL STATUS OF BRIDE: DISTRICT OF COLUMBIA, 1984

Marital Status of Groom	Total		Marital Status of Bride							
			Never Married		Divorced		Annulment		Widowed	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Total.....	5,605	100.0	4,361	77.8	1,134	20.2	3	0.0	107	2.0
Never Married.....	4,092	73.0	3,576	63.8	483	8.6	1	0.0	32	0.6
Divorced.....	1,380	24.6	730	13.0	610	10.9	2	0.0	38	0.7
Annulment.....	11	0.2	9	0.2	2	0.0	-	-	-	-
Widowed.....	121	2.2	46	0.8	38	0.7	-	-	37	0.7
Unknown.....	1	0.0	-	-	1	0.0	-	-	-	-

Table 34.--MARRIAGES BY AGE OF GROOM BY MARITAL STATUS OF GROOM:
DISTRICT OF COLUMBIA, 1984

Age of Groom (in years)	Total		Marital Status of Groom									
			Never Married		Divorced		Annulment		Widowed		Unknown	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Total.....	5,605	100.0	4,092	100.0	1,380	100.0	11	100.0	121	100.0	1	100.0
Less than 15..	6	0.1	4	0.1	2	0.1	-	-	-	-	-	-
15-19.....	193	3.4	192	4.7	1	0.1	-	-	-	-	-	-
20-29.....	2,946	52.6	2,772	67.7	167	12.1	4	36.4	3	2.5	-	-
30-39.....	1,683	30.0	964	23.6	707	51.2	2	18.2	10	8.3	-	-
40-49.....	457	8.2	119	2.9	317	23.0	2	18.2	19	15.7	-	-
50-59.....	208	3.7	29	0.7	142	10.3	1	9.1	35	28.9	1	100.0
60-69.....	77	1.4	9	0.2	35	2.5	2	18.2	31	25.6	-	-
70 and over...	35	0.6	3	0.1	9	0.7	-	-	23	19.0	-	-

Table 35.--MARRIAGES BY AGE OF BRIDE BY MARITAL STATUS OF BRIDE: DISTRICT OF COLUMBIA, 1984

Age of Bride (in years)	Total		Marital status of Bride							
			Never Married		Divorced		Annulment		Widowed	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Total.....	5,605	100.0	4,361	100.0	1,134	100.0	3	100.0	107	100.0
Less than 15.....	6	0.1	4	0.1	2	0.2	-	-	-	-
15-19.....	440	7.9	438	10.0	2	0.2	-	-	-	-
20-29.....	3,356	59.9	3,084	70.7	263	23.2	-	-	9	8.4
30-39.....	1,330	23.7	715	16.4	593	52.3	1	33.3	21	19.6
40-49.....	320	5.7	85	1.9	205	18.1	2	66.7	28	26.2
50-59.....	96	1.7	20	0.5	55	4.9	-	-	21	19.6
60-69.....	44	0.8	11	0.3	11	1.0	-	-	22	20.6
70 and over.....	13	0.2	4	0.1	3	0.3	-	-	6	5.6

Table 36.--DIVORCES AND DIVORCE RATES*: DISTRICT OF COLUMBIA, 1976, 1980-1984

Year	Number	Rate
1984**.....	2,557	4.1
1983.....	2,731	4.4
1982.....	3,418	5.5
1981.....	3,896	6.2
1980.....	4,682	7.3
1976.....	3,092	4.4

*Rates per 1,000 total estimated population 1981-1984; enumerated population 1980.

**Divorce and annulment decrees granted during 1984.

Source: 1984 Research and Statistics Tabulations

1980-1983 National Center for Health Statistics: Annual Summary of Births, Marriages, Divorces, and Deaths, United States, 1980-1984. Monthly Vital Statistics Report(s). Vol's 19-33, No. 13, Sept.-Dec. 1981-1985.

1976 National Center for Health Statistics: Vital Statistics of the United States, 1980, Vol. 111, Marriage and Divorce, 1985.

Table 37.--DIVORCES BY DURATION OF MARRIAGE: DISTRICT OF COLUMBIA, 1984

Duration of Marriage (in years)	Number*	Percent
Total.....	2,557	100.0
Under 1.....	24	0.9
1.....	179	7.0
2.....	205	8.0
3.....	219	8.6
4.....	172	6.7
5.....	182	7.1
6.....	143	5.6
7.....	138	5.4
8.....	115	4.5
9.....	90	3.5
10-14.....	431	16.9
15-19.....	250	9.8
20-24.....	163	6.4
25-29.....	102	4.0
30 and over.....	127	5.0
Not stated.....	17	0.7

*Includes divorces and annulments.

Table 38.--DIVORCES BY NUMBER OF CHILDREN AFFECTED UNDER 18 YEARS OF AGE: DISTRICT OF COLUMBIA, 1984

Number of Children Affected	Total Divorces*	Total Children
Total.....	2,557	1,644
None or not stated....	1,526	-
1.....	597	597
2.....	320	640
3.....	83	249
4.....	15	60
5.....	8	40
6.....	5	30
7.....	1	7
8.....	-	-
9.....	-	-
10	1	10
11	1	11

*Includes divorces and annulments.

Table 39.—DIVORCES BY AGE OF WIFE BY AGE OF HUSBAND:
DISTRICT OF COLUMBIA, 1984

Age of Wife (in years)	Total*	Age of Husband (in years)							
		Less than 20	20-29	30-39	40-49	50-59	60-69	70 or over	Not stated
Total.....	2,557	9	521	1,118	522	252	95	12	28
Less than 20.....	18	-	10	4	3	1	-	-	-
20-29.....	745	3	408	310	16	-	1	-	7
30-39.....	1,071	4	95	734	195	28	2	1	12
40-49.....	447	1	7	55	282	86	11	-	5
50-59.....	176	1	-	3	17	113	37	2	3
60-69.....	61	-	-	1	3	12	38	7	-
70 or over.....	5	-	-	-	-	2	2	1	-
Not stated.....	34	-	1	11	6	10	4	1	1

*Includes divorces and annulments.

Table 40.--AGE OF HUSBAND BY MARRIAGE NUMBER:
DISTRICT OF COLUMBIA, 1984

Age (in years)	Total*	Marriage Number				
		1st	2nd	3rd	4th	Not stated
Total.....	2,557	2,118	378	50	6	5
Less than 20.....	9	9	-	-	-	-
20-29.....	521	502	18	1	-	-
30-39.....	1,118	963	144	9	-	2
40-49.....	522	390	113	16	2	1
50-59.....	252	167	67	16	1	1
60-69.....	95	61	25	6	2	1
70 or over.....	12	5	5	1	1	-
Not stated.....	28	21	6	1	-	-

*Includes divorces and annulments.

Table 41.--AGE OF WIFE BY MARRIAGE NUMBER:
DISTRICT OF COLUMBIA, 1984

Age (in years)	Total*	Marriage Number				
		1st	2nd	3rd	4th	Not stated
Total.....	2,557	2,180	336	29	7	5
Less than 20.....	18	17	-	1	-	-
20-29.....	745	716	28	1	-	-
30-39.....	1,071	910	147	10	2	2
40-49.....	447	344	91	8	3	1
50-59.....	176	128	42	5	1	-
60-69.....	61	35	21	3	1	1
70 or over.....	5	3	1	1	-	-
Not stated.....	34	27	6	-	-	1

*Includes divorces and annulments.

Table 42.--DIVORCES BY DURATION OF MARRIAGE BY MARRIAGE NUMBER OF HUSBAND: DISTRICT OF COLUMBIA, 1984

Duration of Marriage (in years)	Total*	Marriage Number				
		1st	2nd	3rd	4th	Not stated
Total.....	2,557	2,118	378	50	6	5
Under 1.....	24	19	5	-	-	-
1.....	179	145	26	8	-	-
2.....	205	152	45	6	1	1
3.....	219	189	25	4	1	-
4.....	172	128	39	3	2	-
5.....	182	138	36	7	-	1
6.....	143	110	27	6	-	-
7.....	138	111	24	3	-	-
8.....	115	90	23	2	-	-
9.....	90	74	14	2	-	-
10-14.....	431	360	66	4	-	1
15-19.....	250	229	19	1	1	-
20-24.....	163	143	18	1	-	1
25-29.....	102	95	4	3	-	-
30 and over.....	127	119	6	-	1	1
Not stated.....	17	16	1	-	-	-

*Includes divorces and annulments.

Table 43.--DIVORCES BY DURATION OF MARRIAGE BY MARRIAGE NUMBER OF WIFE: DISTRICT OF COLUMBIA, 1984

Duration of Marriage (in years)	Total*	Marriage Number				
		1st	2nd	3rd	4th	Not stated
Total.....	2,557	2,180	336	30	6	5
Under 1.....	24	17	6	1	-	-
1.....	179	141	32	6	-	-
2.....	205	160	40	3	1	1
3.....	219	190	29	-	-	-
4.....	172	131	35	4	2	-
5.....	182	149	27	4	1	1
6.....	143	116	27	-	-	-
7.....	138	117	17	2	2	-
8.....	115	100	13	2	-	-
9.....	90	77	11	1	-	1
10-14.....	431	376	53	2	-	-
15-19.....	250	234	15	1	-	-
20-24.....	163	148	13	1	-	1
25-29.....	102	91	8	2	-	1
30 and over.....	127	119	7	1	-	-
Not stated.....	17	14	3	-	-	-

*Includes divorces and annulments.

Prepared by:

Government of the District of Columbia
Department of Human Services
Office of Policy and Planning
Research and Statistics Division
727-0682